

SUTI Changes in documentation

Changes in documentation made 2004-11-18 (v.1.0.2)


1. Document "SUTI_Inforamtionselement_1_0_1.xls" has been dropped from version 1.0.2. Document is fully replaced by XML schema "SUTI_MessageXSD_1_0_2.xsd".
2. The word "Address" was spelled as "Adress" in "SUTI_MessageXSD_1_0_2.xsd". This is changed into "Address" in this version.
3. <adressPosition> changed to <addressLocation>. Position is from this version used to indicate the seating in a vehicle. To indicate a geographical point Location will be used.
4. <economyType> : <price> is changed to optional.
5. <payment>: <idCurrency> is changed to idType.
6. <contents> : <resourceContent> and <economyContent> are changed to Optional.
7. <idAddressName>, <idCommunity> and <idStreet> has been added to <addressType>. All are type idType.
8. A new message 2040 Order Linked has been added. It is used to indicate that several orders has been linked into a separate order and are sent by the Service Provider to the Client. The client is free to use this information in future references to these orders. With this information the Client can make alterations in a separate order in this linked order or make alterations to the complete set of orders. <orderLink> added to XML schema. Message 2040 replaces message 5040 showed in SUTI
9. <vehicleStartPosition> added to <resourceOrder > under <order>. This makes it possible to dispatch a vehicle from a location separated from the first pickup point.
10. Message 5020 Request for Location has been changed. In the new version it is possible to request both a single position as before. But it is also possible to order a tracking of a vehicle. To do that a new tag, <locationRequest> is added. In <locationRequest> it is possible to add starting time, ending time, time interval in seconds and distance interval in meters.
11. Message 5021 removed from block 40.
12. In "SUTI_Meddelande_1_0_1" message 5020 and 5021 referred to message 4030. Message 4030 is moved to block 70 and called 7031. This is corrected in this version.
13. Document " SUTI_MessageSchema_1_0_1.doc" has been dropped from version 1.0.2. Document is fully replaced by XML schema "SUTI_MessageXSD_1_0_2.xsd".

Changes in documentation made 2005-01-17 (v.1.0.3)

1. <orgProvider> added to <order>. orgProvider is used to identify the company that is the service provider for the specific order in the case where the receiver of the document is handling orders from more than one service provider.

```

orgReceiver      +----- orgProvider 1
                  |----- orgProvider 2
                  |----- orgProvider 3
    
```



Changes in documentation made 2005-02-07 (v.1.0.4)

1 <order> <resourceOrder > <vehicleStartPosition> has been renamed <vehicleStartLocation>. From now on “Position” is a reserved word that describes a certain seat (position) in a vehicle.

2 <addressType> : <geographicLocation> is changed to optional.

Changes in documentation made 2005-08-15 (v.1.1.0)

The Swedish document “Kvarstående ändringar YYYYMMDD” has been replaced by an English document “Remaining alterations YYYYMMDD”.

The Swedish document “SUTI_Meddelande_1_0_4” has been replaced by an English document “SUTI_Messages_1_x_x”.

A new document added, “RequestForSutiLinkRegistration_1_1_X”. The document is used to register a new SUTI-link.

A new document added, “SUTI_Description of SUTI Id_1_1_x”. The document describes how to make a complete SUTI Id and how to register a new link.

Changes in documentation made 2006-03-06 (v.1.1.1)

Document SUTI_DriverAttributes has been dropped from version 1.1.1. Document is fully replaced by ” SUTI_AttributeList_1_1_1.xls”.

Document SUTI_VehicleAttributes has been dropped from version 1.1.1. Document is fully replaced by ” SUTI_AttributeList_1_1_1.xls”.

Document SUTI_AttributeList_1_1_1.xls has been added. The document contain all attributes handled by SUTI.

Document SUTI_LinksToISOStandards_1_1_1.doc has been added. The document contain links to organisations that handles ISO-standards used by SUTI.

Document SUTI_MessageXSD_1_1_0.xsx has been dropped from version 1.1.1. Document is fully replaced by ” SUTI_MessageXSD_1_1_1.xsd”.

Document SUTI_MessageXSD_1_1_0.xml has been dropped from version 1.1.1. Document is fully replaced by ” SUTI_MessageXSD_1_1_1.xsd”.

Document SUTI_MessageTypes_1_1_x.doc has been dropped from version 1.1.1. The document has no longer any function.

<agreement><product> has been altered. Earlier versions accepted only 0 or 1 product. From version 1.1.1, 0 to many products are accepted. Reason: A agreement can include several products.

<order><process> manualDispatch has been added in attributes. Reason: some orders may need manual handling before dispatching.

<idAttribute> References to ISO 639-2 if the attribute is a language attribute. In other cases it references to the latest version of SUTI_AttributeList.

<manualDescriptionType> has been changed. The following attributes has been added: sendtoInvoice (message shall be sent to invoicing system), sendtoVehicle (message shall be sent to vehicle), sendtoOperator (message shall be sent to operator) and vehicleConfirmation (the message need to be confirmed from vehicle).

<ManualDescriptionResource> has been altered. Earlier versions accepted only 0 or 1 product. From version 1.1.1, 0 to many products are accepted.

<route><node> has been altered. Attribute subnodesType has been added. subnodeTypes references to nodeType “action” and indicate the specific type of action that shall be performed at this node. nodeType and subnodeType can be found in the latest version of SUTI_AttributeList.

<route><node><addressNode> has been altered. Attribute mapPage has been added. Used to reference to a map used by client and/or provider.

<route><node><addressNode> has been altered. idMap, idZone and idCountry has been added.

<route><node><addressNode><attributeAddress> has been added. Used to indicate special need for equipment at this specific Address in this node. Attributes can be found in the latest version of SUTI_AttributeList. This alteration apply to all addressType.

<route><node><timesNode><time> has been altered. Attribute timeType (type of time) and dwellTime (time to spend att this node) ha been added. Attributes can be found in the latest version of SUTI_AttributeList. This alteration apply to all timesType. Annotations has been added.

<route><node><contents><content><attributeContent> has been added. Used to indicate special need for equipment at this specific content at this node. Attributes can be found in the latest version of SUTI_AttributeList.

<payment> has been altered. Amount was required in earlier versions. Altered to optional from version 1.1.1. Reason: If taximeter are used to count the fare, no amount can be given here.

<pickupConfirmation> altered. Attributes has been added. eventType are used to give this message a wider use. eventType can be found in the latest version of SUTI_AttributeList.

<msg><references to> idSuborder added and annotation altered. Msg 2000 added. This reason for this is to make it possible to alter an order. In an alteration the same order number are used and in <references to> the supplier orderId from the original order are used.

Document “Remaining alterations 20050815” has been changed into a document with version handling. In the document two priorities are used, High and Low. High indicates that the alteration shall be implemented in the next version. Low indicates it will be implemented in a later version.

Annotations has been added throughout the schema.