

Schema

SUTI MessageSchema

schema location: L:\Admin\SUTI\Standard\SUTI V 2.0.0\SUTI_MessageXSD_2_0_0.xsd
attribute form default: **unqualified**
element form default: **qualified**

Elements
SUTI


Complex types

[addressType](#)
[agreement](#)
[associatedReservation](#)
[attribute](#)
[attributesType](#)
[cancellationConsequence](#)
[capacity](#)
[connection](#)
[contactInfo](#)
[contactInfosType](#)
[content](#)
[contents](#)
[driver](#)
[economyType](#)
[exchangeRates](#)
[exchangeRate](#)
[formOfPayment](#)
[geographicLocation](#)
[idEkInfo](#)
[idMsgRef](#)
[idType](#)
[manualDescriptionType](#)
[msg](#)
[multiDispatch](#)
[node](#)
[order](#)
[orderReject](#)
[orgType](#)
[payment](#)
[pickupConfirmation](#)
[position](#)
[price](#)
[priceCalculation](#)
[process](#)
[product](#)
[referencesTo](#)
[resourceType](#)
[route](#)
[seats](#)
[subOrderType](#)
[taxiMeter](#)
[time](#)
[timesType](#)

vehicle

element **SUTI**

diagram



properties content complex

children [orgSender](#) [orgReceiver](#) [msg](#)

annotation documentation
Root element for SUTI-messages


```

source <xs:element name="SUTI">
  <xs:annotation>
    <xs:documentation>Root element for SUTI-messages</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="orgSender" type="orgType">
        <xs:annotation>
          <xs:documentation>Id of the sending side. </xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="orgReceiver" type="orgType">
        <xs:annotation>
          <xs:documentation>Id of the receiving side.</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="msg" maxOccurs="unbounded">
        <xs:complexType>
          <xs:complexContent>
            <xs:extension base="msg"/>
          </xs:complexContent>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

element **SUTI/orgSender**

diagram






type	orgType									
properties	isRef	0								
	content	complex								
children	idOrg									
attributes	Name	Type	Use	Default	Fixed	annotation				
	name	xs:string	required							
annotation	documentation									
	Id of the sending side.									
source	<pre><xs:element name="orgSender" type="orgType"> <xs:annotation> <xs:documentation>Id of the sending side. </xs:documentation> </xs:annotation> </xs:element></pre>									

element SUTI/orgReceiver

diagram



type	orgType									
properties	isRef	0								
	content	complex								
children	idOrg									
attributes	Name	Type	Use	Default	Fixed	annotation				
	name	xs:string	required							
annotation	documentation									
	Id of the receiving side.									
source	<pre><xs:element name="orgReceiver" type="orgType"> <xs:annotation> <xs:documentation>Id of the receiving side.</xs:documentation> </xs:annotation> </xs:element></pre>									


element **SUTI/msg**



type	extension of msg					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
children	idMsg referencesTo order orderReject cancellationConsequence resourceDispatch addressLocation manualDescriptionMsg pickupConfirmation orderLink locationRequest orderReport nodeCancellation					
attributes	Name	Type	Use	Default	Fixed	annotation
	msgType	xs:string	required			documentation n SUTI number of this message.
	msgName	xs:string	optional			documentation n SUTI name of this message.
source	<pre><xs:element name="msg" maxOccurs="unbounded"> <xs:complexType> <xs:complexContent> <xs:extension base="msg"/> </xs:complexContent> </xs:complexType> </xs:element></pre>					

complexType **addressType**

diagram



children [manualDescriptionAddress](#) [geographicLocation](#) [idAddressName](#) [idStreet](#) [idPostalCode](#) [idCommunity](#) [idCountry](#) [idZone](#) [idMap](#) [attributeAddress](#)

used by elements [msg/addressLocation](#) [node/addressNode](#) [associatedReservation/addressReservation](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	addressName	xs:string	optional			
	street	xs:string	optional			
	streetNo	xs:positiveInteger	optional			
	streetNoLetter	xs:string	optional			
	location	xs:string	optional			
	community	xs:string	optional			
	postalNo	xs:string	optional			
	country	xs:string	optional			
	mapPage	xs:string	optional			

annotation documentation

The address known to receiving system

source <xs:complexType name="addressType">

<xs:annotation>

<xs:documentation>The address known to receiving system</xs:documentation>

</xs:annotation>

<xs:sequence>

<xs:element name="manualDescriptionAddress" type="manualDescriptionType" minOccurs="0" maxOccurs="unbounded"/>

<xs:element name="geographicLocation" type="geographicLocation" minOccurs="0"/>

<xs:element name="idAddressName" type="idType" minOccurs="0"/>

<xs:element name="idStreet" minOccurs="0">

<xs:complexType>

<xs:complexContent>

<xs:extension base="idType"/>

</xs:complexContent>

</xs:complexType>

</xs:element>

<xs:element name="idPostalCode" type="idType" minOccurs="0"/>

<xs:element name="idCommunity" type="idType" minOccurs="0"/>

<xs:element name="idCountry" type="idType" minOccurs="0">

<xs:annotation>

<xs:documentation>Id identifying Country. Source (src) shall refer to ISO 3166-1</xs:documentation>

</xs:annotation>

</xs:element>

<xs:element name="idZone" type="idType" minOccurs="0" maxOccurs="unbounded">

<xs:annotation>

<xs:documentation>Id of a used Zone or zoneset. Source (src) shall refer to either a general zone defined between sender and receiver or to a zoneset used by one or both of the systems.</xs:documentation>

</xs:annotation>

</xs:element>

<xs:element name="idMap" type="idType" minOccurs="0" maxOccurs="unbounded">

<xs:annotation>

<xs:documentation>Used map. Source (src) shall refer to used map.</xs:documentation>

</xs:annotation>

</xs:element>

<xs:element name="attributeAddress" type="attributesType" minOccurs="0">

<xs:annotation>

<xs:documentation>Attributes of addressNode. Mainly an attribute indicating a special need for a specific traveller at this specific address. But may be used in other type of contents such as parcel.</xs:documentation>

</xs:annotation>

</xs:element>

</xs:sequence>

<xs:attribute name="addressName" type="xs:string" use="optional"/>

<xs:attribute name="street" type="xs:string" use="optional"/>

<xs:attribute name="streetNo" type="xs:positiveInteger" use="optional"/>

<xs:attribute name="streetNoLetter" type="xs:string" use="optional"/>

<xs:attribute name="location" type="xs:string" use="optional"/>

<xs:attribute name="community" type="xs:string" use="optional"/>

```

<xs:attribute name="postalNo" type="xs:string" use="optional"/>
<xs:attribute name="country" type="xs:string" use="optional"/>
<xs:attribute name="mapPage" type="xs:string" use="optional"/>
</xs:complexType>

```

attribute **addressType/@addressName**

```

type xs:string
properties      isRef 0
                  use optional
source <xs:attribute name="addressName" type="xs:string" use="optional"/>

```

attribute **addressType/@street**

```

type xs:string
properties      isRef 0
                  use optional
source <xs:attribute name="street" type="xs:string" use="optional"/>

```

attribute **addressType/@streetNo**

```

type xs:positiveInteger
properties      isRef 0
                  use optional
source <xs:attribute name="streetNo" type="xs:positiveInteger" use="optional"/>

```

attribute **addressType/@streetNoLetter**

```

type xs:string
properties      isRef 0
                  use optional
source <xs:attribute name="streetNoLetter" type="xs:string" use="optional"/>

```

attribute **addressType/@location**

```

type xs:string
properties      isRef 0
                  use optional
source <xs:attribute name="location" type="xs:string" use="optional"/>

```

attribute **addressType/@community**

```

type xs:string
properties      isRef 0
                  use optional
source <xs:attribute name="community" type="xs:string" use="optional"/>

```

attribute **addressType/@postalNo**

```

type xs:string
properties      isRef 0
                  use optional

```

source `<xs:attribute name="postalNo" type="xs:string" use="optional"/>`

attribute **addressType/@country**


type **xs:string**
 properties isRef 0
 use optional
 source `<xs:attribute name="country" type="xs:string" use="optional"/>`

attribute **addressType/@mapPage**

type **xs:string**
 properties isRef 0
 use optional
 source `<xs:attribute name="mapPage" type="xs:string" use="optional"/>`

element **addressType/manualDescriptionAddress**

diagram



type [manualDescriptionType](#)


properties isRef 0
 minOcc 0
 maxOcc unbounded
 content complex

attributes	Name	Type	Use	Default	Fixed	annotation
	<u>sendtoInvoice</u>	xs:boolean	required			
	<u>sendtoVehicle</u>	xs:boolean	required			
	<u>sendtoOperator</u>	xs:boolean	required			
	<u>manualText</u>	xs:string	required			
	<u>vehicleConfirmation</u>	xs:boolean	required			

source `<xs:element name="manualDescriptionAddress" type="manualDescriptionType" minOccurs="0" maxOccurs="unbounded"/>`

element **addressType/geographicLocation**

diagram




type [geographicLocation](#)

properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	zone	xs:string	optional			
	typeOfCoordinate	xs:string	required			
	lat	xs:float	required			
	long	xs:float	required			
	precision	xs:integer	required			

source `<xs:element name="geographicLocation" type="geographicLocation" minOccurs="0"/>`

element **addressType/idAddressName**

diagram




type [idType](#)

properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		

source `<xs:element name="idAddressName" type="idType" minOccurs="0"/>`

element **addressType/idStreet**


diagram



type	extension of idType					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
source	<pre><xs:element name="idStreet" minOccurs="0"> <xs:complexType> <xs:complexContent> <xs:extension base="idType"/> </xs:complexContent> </xs:complexType> </xs:element></pre>					

element **addressType/idPostalCode**


diagram



type	idType					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
source	<pre><xs:element name="idPostalCode" type="idType" minOccurs="0"/></pre>					

element addressType/idCommunity

diagram




type [idType](#)

properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
source	<xs:element name="idCommunity" type="idType" minOccurs="0"/>					

element addressType/idCountry

diagram




type [idType](#)

properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	Id identifying Country. Source (src) shall refer to ISO 3166-1				
	source	<xs:element name="idCountry" type="idType" minOccurs="0"> <xs:annotation> <xs:documentation>Id identifying Country. Source (src) shall refer to ISO 3166-1</xs:documentation> </xs:annotation> </xs:element>				

element **addressType/idZone**


diagram



type	idType					
properties	isRef	0				
	minOcc	0				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	Id of a used Zone or zoneset. Source (src) shall refer to either a general zone defined between sender and receiver or to a zoneset used by one or both of the systems.				
	source	<xs:element name="idZone" type="idType" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Id of a used Zone or zoneset. Source (src) shall refer to either a general zone defined between sender and receiver or to a zoneset used by one or both of the systems.</xs:documentation> </xs:annotation> </xs:element>				

element **addressType/idMap**

diagram




type	idType					
properties	isRef	0				
	minOcc	0				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation

	src	xs:string	required	
	id	xs:string	required	
	unique	xs:boolean	optional	false
annotation	documentation Used map. Source (src) shall refer to used map.			
source	<pre><xs:element name="idMap" type="idType" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Used map. Source (src) shall refer to used map.</xs:documentation> </xs:annotation> </xs:element></pre>			

element **addressType/attributeAddress**


diagram



type	attributesType
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	attribute
annotation	documentation Attributes of addressNode. Mainly an attribute indicating a special need for a specific traveller at this specific address. But may be used in other type of contents such as parcel.
source	<pre><xs:element name="attributeAddress" type="attributesType" minOccurs="0"> <xs:annotation> <xs:documentation>Attributes of addressNode. Mainly an attribute indicating a special need for a specific traveller at this specific address. But may be used in other type of contents such as parcel.</xs:documentation> </xs:annotation> </xs:element></pre>

complexType **agreement**

diagram



children	idAgreement product					
used by	element	order/agreement				
attributes	Name	Type	Use	Default	Fixed	annotation
	name	xs:string	optional			

annotation documentation
Refers to an agreement between client and provider

source

```
<xs:complexType name="agreement">
  <xs:annotation>
    <xs:documentation>Refers to an agreement between client and provider</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="idAgreement" type="idType"/>
    <xs:element name="product" type="product" minOccurs="0"/>
  </xs:sequence>
  <xs:attribute name="name" type="xs:string use="optional"/>
</xs:complexType>
```

attribute agreement/@name

type **xs:string**


properties isRef 0
use optional

source

```
<xs:attribute name="name" type="xs:string use="optional"/>
```

element agreement/idAgreement

diagram



type **idType**

properties isRef 0
content complex


attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		

source

```
<xs:element name="idAgreement" type="idType"/>
```

element agreement/product

diagram



type **product**


properties isRef 0
 minOcc 0
 maxOcc 1
 content complex

children [idProduct](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	name	xs:string	optional			
source	<xs:element name="product" type="product" minOccurs="0"/>					

complexType associatedReservation

diagram



children [addressReservation](#) [timesReservation](#) [orgReservation](#) [idReservation](#) [contactInfosReservation](#)

used by element [connection/associatedReservation](#)

annotation documentation
 If the related event has a reservation in another system


```

source <xs:complexType name="associatedReservation">
  <xs:annotation>
    <xs:documentation>If the related event has a reservation in another system</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="addressReservation" type="addressType"/>
    <xs:element name="timesReservation" type="timesType"/>
    <xs:element name="orgReservation" type="orgType" minOccurs="0"/>
    <xs:element name="idReservation" type="xs:string" minOccurs="0"/>
    <xs:element name="contactInfosReservation" type="contactInfosType"/>
  </xs:sequence>
</xs:complexType>

```

element **associatedReservation/addressReservation**


diagram



type	addressType					
properties	isRef	0				
	content	complex				
children	manualDescriptionAddress geographicLocation idAddressName idStreet idPostalCode idCommunity idCountry idZone idMap attributeAddress					
attributes	Name	Type	Use	Default	Fixed	annotation
	addressName	xs:string	optional			
	street	xs:string	optional			
	streetNo	xs:positiveInt	optional			
		eger				
	streetNoLetter	xs:string	optional			
	location	xs:string	optional			
	community	xs:string	optional			
	postalNo	xs:string	optional			
	country	xs:string	optional			
mapPage	xs:string	optional				
source	<xs:element name="addressReservation" type="addressType"/>					

element **associatedReservation/timesReservation**


diagram



type	timesType		
properties	isRef	0	
	content	complex	
children	time		
source	<xs:element name="timesReservation" type="timesType"/>		

element **associatedReservation/orgReservation**

diagram



type	orgType					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
children	idOrg					
attributes	Name	Type	Use	Default	Fixed	annotation
	name	xs:string	required			
source	<xs:element name="orgReservation" type="orgType" minOccurs="0"/>					

element **associatedReservation/idReservation**




type **xs:string**

properties

isRef	0
minOcc	0
maxOcc	1
content	simple

source `<xs:element name="idReservation" type="xs:string" minOccurs="0"/>`

element **associatedReservation/contactInfosReservation**



type [contactInfosType](#)


properties

isRef	0
content	complex

children [contactInfo](#)

source `<xs:element name="contactInfosReservation" type="contactInfosType"/>`

complexType **attribute**



children [idAttribute](#)


used by element [attributesType/attribute](#)

annotation documentation
There is or should be a presence of the attribute

source `<xs:complexType name="attribute">`
`<xs:annotation>`
`<xs:documentation>There is or should be a presence of the attribute</xs:documentation>`
`</xs:annotation>`
`<xs:sequence>`
`<xs:element name="idAttribute" type="idType">`
`<xs:annotation>`
`<xs:documentation>Language: Reference to ISO 639-2`
`Other: Reference to the latest version of SutiAttributeList</xs:documentation>`
`</xs:annotation>`
`</xs:element>`
`</xs:sequence>`
`</xs:complexType>`

element **attribute/idAttribute**

diagram




type **idType**

properties	isRef	0				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	Language: Reference to ISO 639-2 Other: Reference to the latest version of SutiAttributeList				
source	<pre><xs:element name="idAttribute" type="idType"> <xs:annotation> <xs:documentation>Language: Reference to ISO 639-2 Other: Reference to the latest version of SutiAttributeList</xs:documentation> </xs:annotation> </xs:element></pre>					

complexType **attributesType**

diagram



children [attribute](#)

used by elements [addressType/attributeAddress](#) [content/attributeContent](#) [driver/attributesDriver](#) [orderReject/attributesReject](#) [vehicle/attributesVehicle](#)


annotation documentation
A sequence of attributes, where the presence of an attribute means that the existence of the attribute is true

source

```
<xs:complexType name="attributesType">
  <xs:annotation>
    <xs:documentation>A sequence of attributes, where the presence of an attribute means that the
    existence of the attribute is true</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="attribute" type="attribute" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
```

element **attributesType/attribute**

diagram



type [attribute](#)

properties


isRef	0
minOcc	1
maxOcc	unbounded
content	complex

children [idAttribute](#)

source `<xs:element name="attribute" type="attribute" maxOccurs="unbounded"/>`

complexType **cancellationConsequence**

diagram



children [economyCancellation](#)

used by element [msg/cancellationConsequence](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	cancellationAcceptance	xs:boolean	required			
	cancellationConsequence	xs:boolean	required			

annotation

Whether a cancellation is ok, not ok or their are consequences

source `<xs:complexType name="cancellationConsequence">`

```

<xs:annotation>
  <xs:documentation>Whether a cancellation is ok, not ok or their are consequences</xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="economyCancellation" type="economyType"/>
</xs:sequence>
<xs:attribute name="cancellationAcceptance" type="xs:boolean" use="required"/>
<xs:attribute name="cancellationConsequence" type="xs:boolean" use="required"/>
</xs:complexType>

```

attribute **cancellationConsequence/@cancellationAcceptance**

type **xs:boolean**

properties

isRef	0
use	required


source `<xs:attribute name="cancellationAcceptance" type="xs:boolean" use="required"/>`

attribute **cancellationConsequence/@cancellationConsequence**

type **xs:boolean**
 properties isRef 0 use required
 source `<xs:attribute name="cancellationConsequence" type="xs:boolean" use="required"/>`

element **cancellationConsequence/economyCancellation**


diagram



type [economyType](#)
 properties isRef 0 content complex
 children [price](#) [formOfPayment](#) [exchangeRates](#)
 source `<xs:element name="economyCancellation" type="economyType"/>`

complexType **capacity**

diagram



children [seats](#)
 used by element [vehicle/capacity](#)
 attributes

Name	Type	Use	Default	Fixed	annotation
luggageArea	xs:float	optional			
fullArea	xs:float	optional			
stretcherArea	xs:float	optional			

annotation documentation
 How many seats, the position of seats, luggage spac etc
 source `<xs:complexType name="capacity">
 <xs:annotation>
 <xs:documentation>How many seats, the position of seats, luggage spac etc</xs:documentation>
 </xs:annotation>
 <xs:sequence>
 <xs:element name="seats" type="seats"/>
 </xs:sequence>
 <xs:attribute name="luggageArea" type="xs:float" use="optional"/>
 </xs:complexType>`



```
<xs:attribute name="fullArea" type="xs:float" use="optional"/>
<xs:attribute name="stretcherArea" type="xs:float" use="optional"/>
</xs:complexType>
```

attribute **capacity/@luggageArea**

type **xs:float**
properties isRef 0
 use optional
source **<xs:attribute name="luggageArea" type="xs:float" use="optional"/>**

attribute **capacity/@fullArea**


type **xs:float**
properties isRef 0
 use optional
source **<xs:attribute name="fullArea" type="xs:float" use="optional"/>**

attribute **capacity/@stretcherArea**

type **xs:float**
properties isRef 0
 use optional
source **<xs:attribute name="stretcherArea" type="xs:float" use="optional"/>**

element **capacity/seats**

diagram



type	seats					
properties	isRef 0 content complex					
children	position					
attributes	Name noOfSeats	Type xs:nonNegativeInteger	Use required	Default	Fixed	annotation documentation noOfSeats are used to




indicate the total number of seats.

```
source <xs:element name="seats" type="seats"/>
```

complexType connection

diagram



children [associatedReservation](#)

used by element [content/connection](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	connectionType	derived by: xs:string	required			documentation type of connection. See enumerations
	connectionName	xs:string	optional			
	connectionArrDep	xs:string	required			

annotation documentation
Event related to the order

```
source <xs:complexType name="connection">
  <xs:annotation>
    <xs:documentation>Event related to the order</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="associatedReservation" type="associatedReservation" minOccurs="0"/>
  </xs:sequence>
  <xs:attribute name="connectionType" use="required">
    <xs:annotation>
      <xs:documentation>type of connection. See enumerations</xs:documentation>
    </xs:annotation>
    <xs:simpleType>
      <xs:restriction base="xs:string"/>
    </xs:simpleType>
  </xs:attribute>
  <xs:attribute name="connectionName" type="xs:string" use="optional"/>
  <xs:attribute name="connectionArrDep" type="xs:string" use="required"/>
</xs:complexType>
```

attribute connection/@connectionType

type	restriction of xs:string
properties	isRef 0 use required
annotation	documentation

type of connection. See enumerations

```
source <xs:attribute name="connectionType" use="required">
  <xs:annotation>
    <xs:documentation>type of connection. See enumerations</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
</xs:attribute>
```

attribute **connection/@connectionName**

type **xs:string**

properties isRef 0
use optional

```
source <xs:attribute name="connectionName" type="xs:string" use="optional"/>
```

attribute **connection/@connectionArrDep**


type **xs:string**

properties isRef 0
use required

```
source <xs:attribute name="connectionArrDep" type="xs:string" use="required"/>
```

element **connection/associatedReservation**

diagram



type [associatedReservation](#)


properties isRef 0
minOcc 0
maxOcc 1
content complex

children [addressReservation](#) [timesReservation](#) [orgReservation](#) [idReservation](#) [contactInfosReservation](#)

```
source <xs:element name="associatedReservation" type="associatedReservation" minOccurs="0"/>
```

complexType **contactInfo**

diagram



used by element [contactInfosType/contactInfo](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	contactType	derived by: xs:string	required			documentatio n type of contact. See enumerations documentatio n
	contactInfo	xs:string	required			Number or adress for contact

annotation documentation
The telno, mailaddress etc

source

```

<xs:complexType name="contactInfo">
  <xs:annotation>
    <xs:documentation>The telno, mailaddress etc</xs:documentation>
  </xs:annotation>
  <xs:attribute name="contactType" use="required">
    <xs:annotation>
      <xs:documentation>type of contact. See enumerations</xs:documentation>
    </xs:annotation>
    <xs:simpleType>
      <xs:restriction base="xs:string"/>
    </xs:simpleType>
  </xs:attribute>
  <xs:attribute name="contactInfo" type="xs:string" use="required">
    <xs:annotation>
      <xs:documentation>Number or adress for contact</xs:documentation>
    </xs:annotation>
  </xs:attribute>
</xs:complexType>

```

attribute **contactInfo/@contactType**

type restriction of **xs:string**

properties isRef 0
use required

annotation documentation
type of contact. See enumerations

source

```

<xs:attribute name="contactType" use="required">
  <xs:annotation>
    <xs:documentation>type of contact. See enumerations</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
</xs:attribute>


```

attribute **contactInfo/@contactInfo**

type **xs:string**
 properties isRef 0
 use required
 annotation documentation
 Number or adress for contact
 source

```
<xs:attribute name="contactInfo" type="xs:string" use="required">
  <xs:annotation>
    <xs:documentation>Number or adress for contact</xs:documentation>
  </xs:annotation>
</xs:attribute>
```


complexType **contactInfosType**



children [contactInfo](#)
 used by elements [content/contactInfosContent](#) [associatedReservation/contactInfosReservation](#)
 annotation documentation
 Contains different kinds of contact elements like tel, mobile, email etc
 source

```
<xs:complexType name="contactInfosType">
  <xs:annotation>
    <xs:documentation>Contains different kinds of contact elements like tel, mobile, email
    etc</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="contactInfo" type="contactInfo" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
```

element **contactInfosType/contactInfo**



type [contactInfo](#)
 properties isRef 0
 minOcc 1
 maxOcc unbounded
 content complex




attributes	Name	Type	Use	Default	Fixed
	contactType	derived by: xs:string	required		
	contactInfo	xs:string	required		

annotation
documentatio
n
type of
contact. See
enumerations
documentatio
n
Number or
adress for
contact

source `<xs:element name="contactInfo" type="contactInfo" maxOccurs="unbounded"/>`

complexType **content**

diagram



children [idContent](#) [attributeContent](#) [economyContent](#) [resourceContent](#) [manualDescriptionContent](#) [contactInfosContent](#) [connection](#) [subOrderContent](#)

used by element [contents/content](#)

attributes	Name	Type	Use	Default	Fixed	annotation documentatio n
	contentType	derived by: xs:string	required			

Type of
content. See
enumerationst

	name	xs:string	required
annotation	documentation	Description for a single content	
source	<pre><xs:complexType name="content"> <xs:annotation> <xs:documentation>Description for a single content</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="idContent" minOccurs="0"> <xs:annotation> <xs:documentation>personal id or corresponding parcelid</xs:documentation> </xs:annotation> <xs:complexType> <xs:complexContent> <xs:extension base="idType"/> </xs:complexContent> </xs:complexType> </xs:element> <xs:element name="attributeContent" type="attributesType" minOccurs="0"> <xs:annotation> <xs:documentation>Attributes of idContent. Mainly a traveller but may be used in other type of contents such as parcel.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="economyContent" type="economyType" minOccurs="0"/> <xs:element name="resourceContent" type="resourceType" minOccurs="0"/> <xs:element name="manualDescriptionContent" type="manualDescriptionType" minOccurs="0" maxOccurs="unbounded"/> <xs:element name="contactInfosContent" type="contactInfosType" minOccurs="0"/> <xs:element name="connection" type="connection" minOccurs="0"/> <xs:element name="subOrderContent" type="subOrderType" minOccurs="0"> <xs:annotation> <xs:documentation>in case one or several nodes is built from a subOrder in clients system these ordernumbers can be placed here. Observe that the same suborder number may occur in several nodes and the suborder therefore may consists of several nodes. The system of the provider can store these orders separately and can by using message 2040 tell the client its corresponding ordernumbers</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> <xs:attribute name="contentType" use="required"> <xs:annotation> <xs:documentation>Type of content. See enumerationst</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"/> </xs:simpleType> </xs:attribute> <xs:attribute name="name" type="xs:string" use="required"/> </xs:complexType></pre>		

attribute **content/@contentType**

type	restriction of xs:string
properties	isRef 0 use required
annotation	documentation Type of content. See enumerationst
source	<pre> <xs:attribute name="contentType" use="required"> <xs:annotation> <xs:documentation>Type of content. See enumerationst</xs:documentation> </xs:annotation> </pre>

```

<xs:simpleType>
  <xs:restriction base="xs:string"/>
</xs:simpleType>
</xs:attribute>

```

attribute **content/@name**


```

type xs:string
properties    isRef 0
               use  required
source <xs:attribute name="name" type="xs:string" use="required"/>

```

element **content/idContent**

diagram




```

type extension of idType
properties    isRef 0
               minOcc 0
               maxOcc 1
               content complex
attributes
  Name      Type      Use      Default      Fixed      annotation
  src      xs:string  required
  id       xs:string  required
  unique    xs:boolean  optional      false
annotation
  documentation
  personal id or corresponding parcelid
source <xs:element name="idContent" minOccurs="0">
  <xs:annotation>
    <xs:documentation>personal id or corresponding parcelid</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:complexContent>
      <xs:extension base="idType"/>
    </xs:complexContent>
  </xs:complexType>
</xs:element>

```

element **content/attributeContent**

diagram



type [attributesType](#)

properties

isRef	0
minOcc	0
maxOcc	1
content	complex

children [attribute](#)

annotation

Attributes of idContent. Mainly a traveller but may be used in other type of contents such as parcel.

source `<xs:element name="attributeContent" type="attributesType" minOccurs="0">`

`<xs:annotation>`


`<xs:documentation>Attributes of idContent. Mainly a traveller but may be used in other type of contents such as parcel.</xs:documentation>`

`</xs:annotation>`

`</xs:element>`

element **content/economyContent**

diagram



type [economyType](#)

properties


isRef	0
minOcc	0
maxOcc	1
content	complex

children [price](#) [formOfPayment](#) [exchangeRates](#)

source `<xs:element name="economyContent" type="economyType" minOccurs="0"/>`

element **content/resourceContent**

diagram



type [resourceType](#)

properties


isRef	0
minOcc	0
maxOcc	1
content	complex

children [vehicle](#) [manualDescriptionResource](#) [idOrg](#) [driver](#) [vehiclestartLocation](#)

source `<xs:element name="resourceContent" type="resourceType" minOccurs="0"/>`

element **content/manualDescriptionContent**

diagram



type [manualDescriptionType](#)


properties

isRef	0
minOcc	0
maxOcc	unbounded
content	complex

attributes	Name	Type	Use	Default	Fixed	annotation
	sendtoInvoice	xs:boolean	required			
	sendtoVehicle	xs:boolean	required			
	sendtoOperation	xs:boolean	required			
	manualText	xs:string	required			
	vehicleConfirmation	xs:boolean	required			
source	<xs:element name="manualDescriptionContent" type="manualDescriptionType" minOccurs="0" maxOccurs="unbounded"/>					

element **content/contactInfosContent**


diagram



type	contactInfosType
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	contactInfo
source	<xs:element name="contactInfosContent" type="contactInfosType" minOccurs="0"/>

element **content/connection**

diagram



type	connection
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	associatedReservation
attributes	Name connectionType Type derived by: xs:string Use required Default Fixed annotation documentation type of connection. See


enumerations

[connectionName](#) **xs:string** optional
[connectionArrDep](#) **xs:string** required

source `<xs:element name="connection" type="connection" minOccurs="0"/>`

element **content/subOrderContent**

diagram



in case one or several nodes is built from a subOrder in clients system these ordernumbers can be placed here. Observe that the same suborder number may occur in several nodes and the suborder therefore may consists of several nodes. The system of the provider can store these orders separately and can by using message 2040 tell the client its corresponding ordernumbers

type [subOrderType](#)

properties
 isRef 0
 minOcc 0
 maxOcc 1
 content complex

children [idOrder](#)


annotation
 documentation
 in case one or several nodes is built from a subOrder in clients system these ordernumbers can be placed here. Observe that the same suborder number may occur in several nodes and the suborder therefore may consists of several nodes. The system of the provider can store these orders separately and can by using message 2040 tell the client its corresponding ordernumbers

source `<xs:element name="subOrderContent" type="subOrderType" minOccurs="0">`

`<xs:annotation>`
`<xs:documentation>`in case one or several nodes is built from a subOrder in clients system these ordernumbers can be placed here. Observe that the same suborder number may occur in several nodes and the suborder therefore may consists of several nodes. The system of the provider can store these orders separately and can by using message 2040 tell the client its corresponding ordernumbers`</xs:documentation>`
`</xs:annotation>`
`</xs:element>`

complexType **contents**

diagram




Description of the contents for each node

children [content](#)

used by	element node/contents
annotation	documentation Description of the contents for each node
source	<pre><xs:complexType name="contents"> <xs:annotation> <xs:documentation>Description of the contents for each node</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="content" type="content" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType></pre>

element **contents/content**

diagram



type [content](#)


properties

isRef	0
minOcc	1
maxOcc	unbounded

	content	complex				
children	idContent attributeContent economyContent resourceContent manualDescriptionContent contactInfosContent connection subOrderContent					
attributes	Name contentType	Type derived by: xs:string	Use required	Default	Fixed	annotation documentation Type of content. See enumerationst
	name	xs:string	required			
source	<xs:element name="content" type="content" maxOccurs="unbounded"/>					

complexType driver

diagram




children	attributesDriver idDriver					
used by	element	resourceType/driver				
attributes	Name name	Type xs:string	Use optional	Default	Fixed	annotation
annotation	documentation attributes for the driver					
source	<xs:complexType name="driver"> <xs:annotation> <xs:documentation> attributes for the driver </xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="attributesDriver" type="attributesType"/> <xs:element name="idDriver" type="idType" minOccurs="0"> <xs:annotation> <xs:documentation> Source (src) shall refer to the providers staff of drivers och a uniquely defined group of the providers staff of drivers. </xs:documentation> </xs:annotation> </xs:element> </xs:sequence> <xs:attribute name="name" type="xs:string" use="optional"/> </xs:complexType>					

attribute driver/@name

type	xs:string
properties	isRef 0 use optional
source	<xs:attribute name="name" type="xs:string" use="optional"/>

element **driver/attributesDriver**

diagram



type [attributesType](#)


properties isRef 0
content complex

children [attribute](#)

source `<xs:element name="attributesDriver" type="attributesType"/>`

element **driver/idDriver**

diagram



type [idType](#)

properties isRef 0
minOcc 0
maxOcc 1
content complex

attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		


annotation documentation

Source (src) shall refer to the providers staff of drivers och a uniquely defined group of the providers staff of drivers.

source `<xs:element name="idDriver" type="idType" minOccurs="0">
 <xs:annotation>
 <xs:documentation>Source (src) shall refer to the providers staff of drivers och a uniquely defined group of the providers staff of drivers.</xs:documentation>
 </xs:annotation>
 </xs:element>`

complexType **economyType**

diagram



children [price](#) [formOfPayment](#) [exchangeRates](#)

used by elements [cancellationConsequence/economyCancellation](#) [content/economyContent](#) [order/economyOrder](#)

annotation documentation
Describes all aspects of economy for a order, traveller etc

source


```

<xs:complexType name="economyType">
  <xs:annotation>
    <xs:documentation>Describes all aspects of economy for a order, traveller etc</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="price" type="price" minOccurs="0"/>
    <xs:element name="formOfPayment" type="formOfPayment" minOccurs="0"/>
    <xs:element name="exchangeRates" type="exchangeRates" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

element **economyType/price**

diagram



type [price](#)

properties isRef 0
 minOcc 0
 maxOcc 1
 content complex

children [taxiMeter](#) [priceCalculation](#) [idCurrency](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	priceResponsible	derived by: xs:string	required			documentation Indicate if client or provider sets a price. See enumerations. documentation
	fixedPrice	xs:boolean	required			True if price is fixed documentation
	vatIncluded	xs:boolean	required			

[vatPercent](#) **xs:float** optional

[price](#) **xs:float** optional


[vat](#) **xs:float** optional

True if VAT is included in price documentation
VAT percentage documentation
Price as set by priceResponsible. If vatIncluded are True this price include VAT documentation
Amount of VAT

source `<xs:element name="price" type="price" minOccurs="0"/>`

element **economyType/formOfPayment**

diagram



type [formOfPayment](#)


properties isRef 0
 minOcc 0
 maxOcc 1
 content complex

children [payment](#)

source `<xs:element name="formOfPayment" type="formOfPayment" minOccurs="0"/>`

element **economyType/exchangeRates**

diagram



type [exchangeRates](#)


properties isRef 0
 minOcc 0
 maxOcc 1
 content complex

children [exchangeRate](#)

source `<xs:element name="exchangeRates" type="exchangeRates" minOccurs="0"/>`

complexType **exchangeRates**

diagram



children [exchangeRate](#)

used by element [economyType/exchangeRates](#)


annotation documentation Describes how transition between different currencies is handled

source

```
<xs:complexType name="exchangeRates">
  <xs:annotation>
    <xs:documentation>Describes how transition between different currencies is
handled</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="exchangeRate" type="exchangeRate" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
```

element **exchangeRates/exchangeRate**

diagram



type [exchangeRate](#)

properties isRef 0
minOcc 1
maxOcc unbounded
content complex

children [idCurrencyFrom](#) [idCurrencyTo](#)


attributes	Name	Type	Use	Default	Fixed	annotation
	exchangeRate	xs:float	required			

source

```
<xs:element name="exchangeRate" type="exchangeRate" maxOccurs="unbounded"/>
```

complexType **exchangeRate**

diagram



children [idCurrencyFrom](#) [idCurrencyTo](#)

used by element [exchangeRates/exchangeRate](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	exchangeRate	xs:float	required			
annotation	documentation	Rate between two currencies				
source	<pre><xs:complexType name="exchangeRate"> <xs:annotation> <xs:documentation>Rate between two currencies</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="idCurrencyFrom" type="idType"> <xs:annotation> <xs:documentation>Source (src) shall refer to ISO 4217.</xs:documentation> </xs:annotation> </xs:element> <xs:element name="idCurrencyTo" type="idType"> <xs:annotation> <xs:documentation>Source (src) shall refer to ISO 4217.</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> <xs:attribute name="exchangeRate" type="xs:float" use="required"/> </xs:complexType></pre>					

attribute **exchangeRate/@exchangeRate**

type **xs:float**


properties isRef 0
use required

source

```
<xs:attribute name="exchangeRate" type="xs:float" use="required"/>
```

element **exchangeRate/idCurrencyFrom**

diagram




type [idType](#)

properties	isRef	0				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	Source (src) shall refer to ISO 4217.				
source						
	<pre><xs:element name="idCurrencyFrom" type="idType"> <xs:annotation> <xs:documentation>Source (src) shall refer to ISO 4217.</xs:documentation> </xs:annotation> </xs:element></pre>					

element **exchangeRate/idCurrencyTo**

diagram




type [idType](#)

properties	isRef	0				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	Source (src) shall refer to ISO 4217.				
source	<xs:element name="idCurrencyTo" type="idType"> <xs:annotation> <xs:documentation>Source (src) shall refer to ISO 4217.</xs:documentation> </xs:annotation> </xs:element>					

complexType **formOfPayment**

diagram



children [payment](#)

used by elements [economyType/formOfPayment](#) [msg/orderReport/economyReport/payment](#)

annotation documentation

Describes how price is payed

source `<xs:complexType name="formOfPayment">`

`<xs:annotation>`

`<xs:documentation>Describes how price is payed</xs:documentation>`

`</xs:annotation>`

`<xs:sequence>`

`<xs:element name="payment" maxOccurs="unbounded">`

`<xs:complexType>`

`<xs:complexContent>`

`<xs:extension base="payment"/>`

`</xs:complexContent>`

`</xs:complexType>`


`</xs:element>`

`</xs:sequence>`

`</xs:complexType>`

element **formOfPayment/payment**

diagram



type	extension of payment					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
children	idPayment idCurrency idEkInfo					
attributes	Name	Type	Use	Default	Fixed	annotation
	amount	xs:float	optional			
	paymentType	derived by: xs:string	required			documentation Type of payment. See enumerations.
	documentType	xs:string	optional			documentation Specifikation of what kind of document that are used
	noOfDocument	xs:nonNegativeInteger	optional			
	seqno	xs:positiveInteger	optional			
source	<xs:element name="payment" maxOccurs="unbounded"> <xs:complexType>					


```

<xs:complexContent>
  <xs:extension base="payment"/>
</xs:complexContent>
</xs:complexType>
</xs:element>

```

complexType **geographicLocation**

diagram



used by elements [addressType/geographicLocation](#) [resourceType/vehiclestartLocation](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	zone	xs:string	optional			
	typeOfCoordinate	xs:string	required			
	lat	xs:float	required			
	long	xs:float	required			
	precision	xs:integer	required			

annotation documentation

The coordinates for the address and potentially a known zone

source

```

<xs:complexType name="geographicLocation">
  <xs:annotation>
    <xs:documentation>The coordinates for the address and potentially a known zone</xs:documentation>
  </xs:annotation>
  <xs:attribute name="zone" type="xs:string" use="optional"/>
  <xs:attribute name="typeOfCoordinate" type="xs:string" use="required"/>
  <xs:attribute name="lat" type="xs:float" use="required"/>
  <xs:attribute name="long" type="xs:float" use="required"/>
  <xs:attribute name="precision" type="xs:integer" use="required"/>
</xs:complexType>

```

attribute **geographicLocation/@zone**

type **xs:string**

properties isRef 0
use optional

source `<xs:attribute name="zone" type="xs:string" use="optional"/>`

attribute **geographicLocation/@typeOfCoordinate**

type **xs:string**

properties isRef 0
use required

source `<xs:attribute name="typeOfCoordinate" type="xs:string" use="required"/>`



attribute **geographicLocation/@lat**

type **xs:float**
properties isRef 0
 use required
source `<xs:attribute name="lat" type="xs:float" use="required"/>`


attribute **geographicLocation/@long**

type **xs:float**
properties isRef 0
 use required
source `<xs:attribute name="long" type="xs:float" use="required"/>`

attribute **geographicLocation/@precision**

type **xs:integer**
properties isRef 0
 use required
source `<xs:attribute name="precision" type="xs:integer" use="required"/>`

complexType **idEkInfo**



used by	element payment/idEkInfo					
attributes	Name	Type	Use	Default	Fixed	annotation
	src	derived by: xs:string	required			documentatio n Typ av Id. Example project or costcenter
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation General type identification-element					
source	<code><xs:complexType name="idEkInfo"> <xs:annotation> <xs:documentation>General type identification-element</xs:documentation> </xs:annotation> <xs:attribute name="src" use="required"> <xs:annotation> <xs:documentation>Typ av Id. Example project or costcenter</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"/> </xs:simpleType> </xs:complexType></code>					

```

</xs:attribute>
<xs:attribute name="id" type="xs:string" use="required"/>
<xs:attribute name="unique" type="xs:boolean" use="optional" default="false"/>
</xs:complexType>

```

attribute **idEkInfo/@src**

```

type restriction of xs:string
properties isRef 0
            use required
annotation documentation
            Typ av Id. Example project or costcenter
source <xs:attribute name="src" use="required">
        <xs:annotation>
          <xs:documentation>Typ av Id. Example project or costcenter</xs:documentation>
        </xs:annotation>
        <xs:simpleType>
          <xs:restriction base="xs:string"/>
        </xs:simpleType>
      </xs:attribute>

```

attribute **idEkInfo/@id**

```

type xs:string
properties isRef 0
            use required
source <xs:attribute name="id" type="xs:string" use="required"/>

```

attribute **idEkInfo/@unique**


```

type xs:boolean
properties isRef 0
            default false
            use optional
source <xs:attribute name="unique" type="xs:boolean" use="optional" default="false"/>

```

complexType **idMsgRef**

diagram



used by element [referencesTo/idMsgRef](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	idOrder	xs:string				
	idMsg	xs:string	required			
	msgType	xs:string	required			
	unique	xs:boolean	optional	true		

annotation documentation
 General type identification-element
 source `<xs:complexType name="idMsgRef ">`
 `<xs:annotation>`
 `<xs:documentation>General type identification-element</xs:documentation>`
 `</xs:annotation>`
 `<xs:attribute name="src" type="xs:string" use="required"/>`
 `<xs:attribute name="idOrder" type="xs:string"/>`
 `<xs:attribute name="idMsg" type="xs:string" use="required"/>`
 `<xs:attribute name="msgType" type="xs:string" use="required"/>`
 `<xs:attribute name="unique" type="xs:boolean" use="optional" default="true"/>`
 `</xs:complexType>`

attribute **idMsgRef** /@src

type **xs:string**
 properties isRef 0
 use required
 source `<xs:attribute name="src" type="xs:string" use="required"/>`

attribute **idMsgRef** /@idOrder

type **xs:string**
 properties isRef 0
 source `<xs:attribute name="idOrder" type="xs:string"/>`

attribute **idMsgRef** /@idMsg

type **xs:string**
 properties isRef 0
 use required
 source `<xs:attribute name="idMsg" type="xs:string" use="required"/>`

attribute **idMsgRef** /@msgType


type **xs:string**
 properties isRef 0
 use required
 source `<xs:attribute name="msgType" type="xs:string" use="required"/>`

attribute **idMsgRef** /@unique

type **xs:boolean**
 properties isRef 0
 default true
 use optional
 source `<xs:attribute name="unique" type="xs:boolean" use="optional" default="true"/>`

complexType idType

diagram



used by elements [addressType/idAddressName](#) [agreement/idAgreement](#) [attribute/idAttribute](#) [addressType/idCommunity](#) [content/idContent](#) [addressType/idCountry](#) [payment/idCurrency](#) [price/idCurrency](#) [priceCalculation/idCurrency](#) [exchangeRate/idCurrencyFrom](#) [exchangeRate/idCurrencyTo](#) [driver/idDriver](#) [referencesTo/idDriver](#) [addressType/idMap](#) [referencesTo/idMsg](#) [orderReject/orderSentBefore/idMsg](#) [msg/idMsg](#) [referencesTo/idNode](#) [subOrderType/idOrder](#) [order/idOrder](#) [referencesTo/idOrder](#) [msg/orderLink/idOrder](#) [resourceType/idOrg](#) [orgType/idOrg](#) [payment/idPayment](#) [addressType/idPostalCode](#) [product/idProduct](#) [addressType/idStreet](#) [referencesTo/idSuborder](#) [taxiMeter/idTaxa](#) [vehicle/idVehicle](#) [referencesTo/idVehicle](#) [addressType/idZone](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation General type identification-element					
source	<pre><xs:complexType name="idType"> <xs:annotation> <xs:documentation>General type identification-element</xs:documentation> </xs:annotation> <xs:attribute name="src" type="xs:string" use="required"/> <xs:attribute name="id" type="xs:string" use="required"/> <xs:attribute name="unique" type="xs:boolean" use="optional" default="false"/> </xs:complexType></pre>					

attribute idType/@src

type **xs:string**

properties isRef 0
use required

source `<xs:attribute name="src" type="xs:string" use="required"/>`

attribute idType/@id

type **xs:string**

properties isRef 0
use required

source `<xs:attribute name="id" type="xs:string" use="required"/>`

attribute idType/@unique


type **xs:boolean**

properties isRef 0
default false
use optional

source `<xs:attribute name="unique" type="xs:boolean" use="optional" default="false"/>`

complexType manualDescriptionType

diagram



used by elements [addressType/manualDescriptionAddress](#) [content/manualDescriptionContent](#) [msg/manualDescriptionMsg](#) [resourceType/manualDescriptionResource](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	sendtoInvoice	xs:boolean	required			
	sendtoVehicle	xs:boolean	required			
	sendtoOperator	xs:boolean	required			
	manualText	xs:string	required			
	vehicleConfirmation	xs:boolean	required			

annotation documentation
Any text aimed for operators, drivers etc

```

source <xs:complexType name="manualDescriptionType">
  <xs:annotation>
    <xs:documentation>Any text aimed for operators, drivers etc</xs:documentation>
  </xs:annotation>
  <xs:attribute name="sendtoInvoice" type="xs:boolean" use="required"/>
  <xs:attribute name="sendtoVehicle" type="xs:boolean" use="required"/>
  <xs:attribute name="sendtoOperator" type="xs:boolean" use="required"/>
  <xs:attribute name="manualText" type="xs:string" use="required"/>
  <xs:attribute name="vehicleConfirmation" type="xs:boolean" use="required"/>
</xs:complexType>

```

attribute manualDescriptionType/@sendtoInvoice

type xs:boolean

properties isRef 0
use required

```

source <xs:attribute name="sendtoInvoice" type="xs:boolean" use="required"/>

```

attribute manualDescriptionType/@sendtoVehicle

type xs:boolean

properties isRef 0
use required

```

source <xs:attribute name="sendtoVehicle" type="xs:boolean" use="required"/>

```

attribute manualDescriptionType/@sendtoOperator

type xs:boolean

properties isRef 0
use required

```

source <xs:attribute name="sendtoOperator" type="xs:boolean" use="required"/>

```

attribute manualDescriptionType/@manualText


type **xs:string**
properties isRef 0
 use required
source `<xs:attribute name="manualText" type="xs:string" use="required"/>`

attribute manualDescriptionType/@vehicleConfirmation

type **xs:boolean**
properties isRef 0
 use required
source `<xs:attribute name="vehicleConfirmation" type="xs:boolean" use="required"/>`

complexType **msg**

diagram



children [idMsg](#) [referencesTo](#) [order](#) [orderReject](#) [cancellationConsequence](#) [resourceDispatch](#) [addressLocation](#) [manualDescriptionMsg](#) [pickupConfirmation](#) [orderLink](#) [locationRequest](#) [orderReport](#) [nodeCancellation](#)

used by element [SUTI/msg](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	msgType	xs:string	required			documentation SUTI number of this message.
	msgName	xs:string	optional			documentation SUTI name of this message.

annotation documentation
One SUTI-message

source `<xs:complexType name="msg">`
`<xs:annotation>`
`<xs:documentation>One SUTI-message</xs:documentation>`
`</xs:annotation>`
`<xs:sequence>`
`<xs:element name="idMsg" type="idType">`
`<xs:annotation>`
`<xs:documentation>id = YYYYMMDDnnnnnnnn`
`src = reference to the SUTI id of the part that is sending this message.</xs:documentation>`
`</xs:annotation>`
`</xs:element>`
`<xs:element name="referencesTo" minOccurs="0">`
`<xs:annotation>`
`<xs:documentation>msgs: 2000, 2001, 2002, 2003, 2010, 2011, 2012, 2013, 2050, 3xxx, 4xxx, 5xxx,`
`6000</xs:documentation>`
`</xs:annotation>`
`<xs:complexType>`
`<xs:complexContent>`
`<xs:extension base="referencesTo"/>`
`</xs:complexContent>`
`</xs:complexType>`
`</xs:element>`
`<xs:choice minOccurs="0">`
`<xs:element name="order" type="order">`
`<xs:annotation>`
`<xs:documentation>msgs: 2000, 4001, 4020, 5031, 6000</xs:documentation>`
`</xs:annotation>`
`</xs:element>`
`<xs:element name="orderReject">`
`<xs:annotation>`
`<xs:documentation>msgs: 2002</xs:documentation>`
`</xs:annotation>`
`<xs:complexType>`
`<xs:complexContent>`
`<xs:extension base="orderReject"/>`
`</xs:complexContent>`
`</xs:complexType>`
`</xs:element>`
`<xs:element name="cancellationConsequence" type="cancellationConsequence">`
`<xs:annotation>`
`<xs:documentation>msgs: 2011, 2012</xs:documentation>`
`</xs:annotation>`
`</xs:element>`
`<xs:element name="resourceDispatch" type="resourceType">`
`<xs:annotation>`
`<xs:documentation>msgs: 3000, 3001</xs:documentation>`
`</xs:annotation>`
`</xs:element>`
`<xs:element name="addressLocation" type="addressType">`

```

    <xs:annotation>
      <xs:documentation>msgs: 4003, 5021</xs:documentation>
    </xs:annotation>
  </xs:element>
  <xs:element name="manualDescriptionMsg">
    <xs:annotation>
      <xs:documentation>msgs: 5000, 5010</xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:complexContent>
        <xs:extension base="manualDescriptionType"/>
      </xs:complexContent>
    </xs:complexType>
  </xs:element>
  <xs:element name="pickupConfirmation">
    <xs:annotation>
      <xs:documentation>msgs: 4010 pickupConfirmation</xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:sequence>
        <xs:element name="nodeConfirmed" type="node" minOccurs="0"/>
      </xs:sequence>
      <xs:attribute name="eventType" use="optional">
        <xs:annotation>
          <xs:documentation>Type of event that are beeing confirmed. See
enumerations</xs:documentation>
        </xs:annotation>
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="passengerinvehicle"/>
          <xs:enumeration value="passengerdropped"/>
          <xs:enumeration value="noshow"/>
          <xs:enumeration value="parcelinvehicle"/>
          <xs:enumeration value="parceldropped"/>
          <xs:enumeration value="actiondone"/>
          <xs:enumeration value="navigationdone"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>
  <xs:element name="orderLink">
    <xs:annotation>
      <xs:documentation>msg: 2040</xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:sequence>
        <xs:element name="idOrder" type="idType" maxOccurs="unbounded">
          <xs:annotation>
            <xs:documentation>ids for the combined order</xs:documentation>
          </xs:annotation>
        </xs:element>
        <xs:element name="subOrderLink" type="subOrderType" maxOccurs="unbounded">
          <xs:annotation>
            <xs:documentation>ids for all included suborders</xs:documentation>
          </xs:annotation>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="locationRequest" minOccurs="0">
    <xs:annotation>
      <xs:documentation>msg 5020, if sequential addressLocations are required</xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:sequence>
        <xs:element name="timeFrom" type="time" minOccurs="0">

```

```

    <xs:annotation>
      <xs:documentation>Time to start sending positions to Client</xs:documentation>
    </xs:annotation>
  </xs:element>
  <xs:element name="timeTo" type="time" minOccurs="0">
    <xs:annotation>
      <xs:documentation>Time to stop sending positions to Client</xs:documentation>
    </xs:annotation>
  </xs:element>
  <xs:element name="interval" minOccurs="0">
    <xs:annotation>
      <xs:documentation>Interval between positions</xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:attribute name="seconds" type="xs:integer" use="optional"/>
      <xs:attribute name="meter" type="xs:integer" use="optional"/>
    </xs:complexType>
  </xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="orderReport" minOccurs="0">
  <xs:annotation>
    <xs:documentation>msg 6001</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="eventReport" minOccurs="0" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="event" maxOccurs="unbounded">
              <xs:complexType>
                <xs:sequence>
                  <xs:element name="eventTime" type="time" minOccurs="0"/>
                  <xs:element name="subOrderEvent" type="subOrderType" minOccurs="0"/>
                </xs:sequence>
                <xs:attribute name="nodeSeqno" type="xs:positiveInteger"/>
                <xs:attribute name="eventType" use="required">
                  <xs:simpleType>
                    <xs:restriction base="xs:string">
                      <xs:enumeration value="acceptOrder"/>
                      <xs:enumeration value="start"/>
                      <xs:enumeration value="stop"/>
                      <xs:enumeration value="pickup"/>
                      <xs:enumeration value="destination"/>
                      <xs:enumeration value="navigation"/>
                      <xs:enumeration value="action"/>
                    </xs:restriction>
                  </xs:simpleType>
                </xs:attribute>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="summaryReport" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="subOrderSummary" type="subOrderType" minOccurs="0"/>
            <xs:attribute name="orderEnded" type="xs:boolean" use="required">
              <xs:annotation>
                <xs:documentation>Indicates that this order is finished.</xs:documentation>
              </xs:annotation>
            </xs:attribute>
            <xs:attribute name="distanceStart" type="xs:integer">
              <xs:annotation>

```

```

        <xs:documentation>Distance from start of order measured in meters</xs:documentation>
      </xs:annotation>
    </xs:attribute>
    <xs:attribute name="durationStart" type="xs:integer">
      <xs:annotation>
        <xs:documentation>Duration from start of order measured in seconds</xs:documentation>
      </xs:annotation>
    </xs:attribute>
    <xs:attribute name="vehicle" type="xs:string">
      <xs:annotation>
        <xs:documentation>Vehicle that has performed this order</xs:documentation>
      </xs:annotation>
    </xs:attribute>
  </xs:complexType>
</xs:element>
<xs:element name="economyReport" minOccurs="0" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>If payment are separated for each node or suborder one economyreport for
each node or suborder can be sent</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="payment" type="formOfPayment"/>
      <xs:element name="subOrderEconomy" type="subOrderType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Used if economyreport are sent for each suborder</xs:documentation>
        </xs:annotation>
      </xs:element>
    </xs:sequence>
    <xs:attribute name="nodeSeqno" type="xs:positiveInteger">
      <xs:annotation>
        <xs:documentation>Used if economyreport are sent for each node</xs:documentation>
      </xs:annotation>
    </xs:attribute>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="nodeCancelation" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Msg 2020 Node Cancelation</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:attribute name="nodeStart" type="xs:positiveInteger" use="required">
      <xs:annotation>
        <xs:documentation>The startnode that shall be cancelled. Often a pickup</xs:documentation>
      </xs:annotation>
    </xs:attribute>
    <xs:attribute name="nodeEnd" type="xs:positiveInteger">
      <xs:annotation>
        <xs:documentation>The endnode that shall be cancelled. Often a destination</xs:documentation>
      </xs:annotation>
    </xs:attribute>
  </xs:complexType>
</xs:element>
</xs:choice>
</xs:sequence>
<xs:attribute name="msgType" type="xs:string" use="required">
  <xs:annotation>
    <xs:documentation>SUTI number of this message.</xs:documentation>
  </xs:annotation>
</xs:attribute>
<xs:attribute name="msgName" type="xs:string" use="optional">
  <xs:annotation>
    <xs:documentation>SUTI name of this message.</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

```

</xs:attribute>
</xs:complexType>

```

attribute **msg/@msgType**

```

type xs:string
properties      isRef 0
                  use  required
annotation      documentation
                  SUTI number of this message.
source          <xs:attribute name="msgType" type="xs:string" use="required">
                  <xs:annotation>
                    <xs:documentation>SUTI number of this message.</xs:documentation>
                  </xs:annotation>
                </xs:attribute>

```

attribute **msg/@msgName**


```

type xs:string
properties      isRef 0
                  use  optional
annotation      documentation
                  SUTI name of this message.
source          <xs:attribute name="msgName" type="xs:string" use="optional">
                  <xs:annotation>
                    <xs:documentation>SUTI name of this message.</xs:documentation>
                  </xs:annotation>
                </xs:attribute>

```

element **msg/idMsg**

diagram



```


type idType
properties      isRef 0
                  content complex
attributes      Name      Type      Use      Default      Fixed      annotation
                  src      xs:string  required
                  id       xs:string  required
                  unique    xs:boolean optional      false
annotation      documentation
                  id = YYYYMMDDnnnnnnnn
                  src = reference to the SUTI id of the part that is sending this message.
source          <xs:element name="idMsg" type="idType">
                  <xs:annotation>
                    <xs:documentation>id = YYYYMMDDnnnnnnnn
                    src = reference to the SUTI id of the part that is sending this message.</xs:documentation>
                  </xs:annotation>
                </xs:element>

```

</xs:element>

element msg/referencesTo

diagram



type extension of [referencesTo](#)

properties isRef 0
minOcc 0
maxOcc 1
content complex

children [idOrder](#) [idMsg](#) [idVehicle](#) [idDriver](#) [idSuborder](#) [idNode](#) [idMsgRef](#)

annotation documentation
msgs: 2000, 2001, 2002, 2003, 2010, 2011, 2012, 2013, 2050, 3xxx, 4xxx, 5xxx, 6000

source <xs:element name="referencesTo" minOccurs="0">
<xs:annotation>
<xs:documentation>msgs: 2000, 2001, 2002, 2003, 2010, 2011, 2012, 2013, 2050, 3xxx, 4xxx, 5xxx, 6000</xs:documentation>
</xs:annotation>


```

<xs:complexType>
  <xs:complexContent>
    <xs:extension base="referencesTo"/>
  </xs:complexContent>
</xs:complexType>
</xs:element>

```

element msg/order

diagram



type [order](#)

properties isRef 0
 content complex

children [idOrder](#) [orgProvider](#) [agreement](#) [process](#) [economyOrder](#) [resourceOrder](#) [route](#)

annotation documentation
 msgs: 2000, 4001, 4020, 5031, 6000

source


```

<xs:element name="order" type="order">
  <xs:annotation>
    <xs:documentation>msgs: 2000, 4001, 4020, 5031, 6000</xs:documentation>
  </xs:annotation>
</xs:element>

```

element **msg/orderReject**

diagram



type extension of [orderReject](#)

properties isRef 0
content complex

children [attributesReject](#) [orgNewProvider](#) [resourceReject](#) [orderSentBefore](#)


annotation documentation
msgs: 2002

source

```
<xs:element name="orderReject">
  <xs:annotation>
    <xs:documentation>msgs: 2002</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:complexContent>
      <xs:extension base="orderReject"/>
    </xs:complexContent>
  </xs:complexType>
</xs:element>
```

element **msg/cancellationConsequence**

diagram



type [cancellationConsequence](#)


properties isRef 0
content complex

children [economyCancellation](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	cancellationAccepted	xs:boolean	required			
	cancellationConsequence	xs:boolean	required			
annotation	documentation					msgs: 2011, 2012
source	<pre><xs:element name="cancellationConsequence" type="cancellationConsequence"> <xs:annotation> <xs:documentation>msgs: 2011, 2012</xs:documentation> </xs:annotation> </xs:element></pre>					

element **msg/resourceDispatch**


diagram



type	resourceType
properties	isRef 0 content complex
children	vehicle manualDescriptionResource idOrg driver vehiclestartLocation
annotation	documentation msgs: 3000, 3001
source	<pre><xs:element name="resourceDispatch" type="resourceType"> <xs:annotation> <xs:documentation>msgs: 3000, 3001</xs:documentation> </xs:annotation> </xs:element></pre>

element **msg/addressLocation**


diagram



type	addressType					
properties	isRef	0				
	content	complex				
children	manualDescriptionAddress geographicLocation idAddressName idStreet idPostalCode idCommunity idCountry idZone idMap attributeAddress					
attributes	Name	Type	Use	Default	Fixed	annotation
	addressName	xs:string	optional			
	street	xs:string	optional			
	streetNo	xs:positiveInteger	optional			
	streetNoLetter	xs:string	optional			
	location	xs:string	optional			
	community	xs:string	optional			
	postalNo	xs:string	optional			
	country	xs:string	optional			
	mapPage	xs:string	optional			
annotation	documentation					
	msgs: 4003, 5021					
source	<pre><xs:element name="addressLocation" type="addressType"> <xs:annotation> <xs:documentation>msgs: 4003, 5021</xs:documentation> </xs:annotation> </xs:element></pre>					

element msg/manualDescriptionMsg

diagram



type	extension of manualDescriptionType					
properties	isRef	0				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	sendtoInvoice	xs:boolean	required			
	sendtoVehicle	xs:boolean	required			
	sendtoOperator	xs:boolean	required			
	manualText	xs:string	required			
	vehicleConfirmation	xs:boolean	required			
	documentation					
annotation	msgs: 5000, 5010					
source	<pre><xs:element name="manualDescriptionMsg"> <xs:annotation> <xs:documentation>msgs: 5000, 5010</xs:documentation> </xs:annotation> <xs:complexType> <xs:complexContent></pre>					


```

    <xs:extension base="manualDescriptionType"/>
  </xs:complexContent>
</xs:complexType>
</xs:element>

```

element msg/pickupConfirmation

diagram



properties
isRef 0
content complex

children [nodeConfirmed](#)

attributes	Name	Type	Use	Default	Fixed	annotation documentation
	eventType	derived by: xs:string	optional			Type of event that are beeing confirmed. See enumerations

annotation documentation
msgs: 4010 pickupConfirmation

```

source <xs:element name="pickupConfirmation">
  <xs:annotation>
    <xs:documentation>msgs: 4010 pickupConfirmation</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="nodeConfirmed" type="node" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="eventType" use="optional">
      <xs:annotation>
        <xs:documentation>Type of event that are beeing confirmed. See enumerations</xs:documentation>
      </xs:annotation>
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="passengerinvehicle"/>
          <xs:enumeration value="passengerdropped"/>
          <xs:enumeration value="noshow"/>
          <xs:enumeration value="parcelinvehicle"/>
          <xs:enumeration value="parceldropped"/>
          <xs:enumeration value="actiondone"/>
          <xs:enumeration value="navigationdone"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>

```


attribute msg/pickupConfirmation/@eventType

type restriction of xs:string

properties isRef 0
 use optional
 facets enumeration passengerinvehicle
 enumeration passengerdropped
 enumeration noshow
 enumeration parcelinvehicle
 enumeration parceldropped
 enumeration actiondone
 enumeration navigationdone
 annotation documentation
 Type of event that are beeing confirmed. See enumerations
 source <xs:attribute name="eventType" use="optional">
 <xs:annotation>
 <xs:documentation>Type of event that are beeing confirmed. See enumerations</xs:documentation>
 </xs:annotation>
 <xs:simpleType>
 <xs:restriction base="xs:string">
 <xs:enumeration value="passengerinvehicle"/>
 <xs:enumeration value="passengerdropped"/>
 <xs:enumeration value="noshow"/>
 <xs:enumeration value="parcelinvehicle"/>
 <xs:enumeration value="parceldropped"/>
 <xs:enumeration value="actiondone"/>
 <xs:enumeration value="navigationdone"/>
 </xs:restriction>
 </xs:simpleType>
 </xs:attribute>

element msg/pickupConfirmation/nodeConfirmed

diagram




type [node](#)

properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
children	addressNode timesNode contents					
attributes	Name	Type	Use	Default	Fixed	annotation
	nodeSeqno	xs:positiveInteger	required			documentation Sequence number of included nodes. Sequence shall start with the lowest number and continue in rising order to the highest.
	nodeType	derived by: xs:string	required			documentation Type of node. See enumerations.
	subnodeType	derived by: xs:string	optional			documentation subnodeType are used to further define nodeType "action". See enumerations.

```
source <xs:element name="nodeConfirmed" type="node" minOccurs="0"/>
```

element **msg/orderLink**

diagram



properties	isRef	0
	content	complex
children	idOrder	subOrderLink
annotation	documentation	
	msg: 2040	
source	<pre><xs:element name="orderLink"> <xs:annotation> <xs:documentation>msg: 2040</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="idOrder" type="idType" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>ids for the combined order</xs:documentation> </xs:annotation></pre>	


```

</xs:element>
<xs:element name="subOrderLink" type="subOrderType" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>ids for all included suborders</xs:documentation>
  </xs:annotation>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```

element msg/orderLink/idOrder

diagram




type [idType](#)

properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	ids for the combined order				
	ids for the combined order					
source	<pre><xs:element name="idOrder" type="idType" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>ids for the combined order</xs:documentation> </xs:annotation> </xs:element></pre>					

element msg/orderLink/subOrderLink

diagram



type [subOrderType](#)

properties	isRef	0
	minOcc	1
	maxOcc	unbounded
	content	complex
children	idOrder	
annotation	documentation ids for all included suborders	


```

source <xs:element name="subOrderLink" type="subOrderType" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>ids for all included suborders</xs:documentation>
  </xs:annotation>
</xs:element>

```

element msg/locationRequest

diagram



properties

isRef	0
minOcc	0
maxOcc	1
content	complex

children [timeFrom](#) [timeTo](#) [interval](#)

annotation

documentation
msg 5020, if sequential addressLocations are required


```

source <xs:element name="locationRequest" minOccurs="0">
  <xs:annotation>
    <xs:documentation>msg 5020, if sequential addressLocations are required</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="timeFrom" type="time" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Time to start sending positions to Client</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="timeTo" type="time" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Time to stop sending positions to Client</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="interval" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Interval between positions</xs:documentation>
        </xs:annotation>
        <xs:complexType>
          <xs:attribute name="seconds" type="xs:integer" use="optional"/>
          <xs:attribute name="meter" type="xs:integer" use="optional"/>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

element **msg/locationRequest/timeFrom**

diagram



type		time					
properties	isRef	0					
	minOcc	0					
	maxOcc	1					
		content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation documentation Used to indicate accepted deviation in attribute time documentation Timezone used in communication. Default is local timezone. See ISO 8601 for more information.	
	timeAccuracy	xs:string	optional				
	timeZone	xs:integer	optional				
	time dwellTime	xs:dateTime xs:int	required optional				
	timeType	derived by: xs:string	optional				
						documentation Time used to finish this node documentation n	




Type of time.
See
enumerations

annotation documentation
Time to start sending positions to Client
source `<xs:element name="timeFrom" type="time" minOccurs="0">
 <xs:annotation>
 <xs:documentation>Time to start sending positions to Client</xs:documentation>
 </xs:annotation>
</xs:element>`

element msg/locationRequest/timeTo

diagram



type		time				
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	timeAccuracy	xs:string	optional			documentation Used to indicate accepted deviation in attribute time
	timeZone	xs:integer	optional			documentation Timezone used in communication. Default is local timezone. See

ISO 8601 for
more
information.

[time](#) **xs:dateTime** required
[dwellTime](#) **xs:int** optional

documentatio
n

Time used to
finish this
node

documentatio
n

Type of time.
See
enumerations

[timeType](#) **derived by:** optional
xs:string

annotation documentation


Time to stop sending positions to Client

source

```
<xs:element name="timeTo" type="time" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Time to stop sending positions to Client</xs:documentation>
  </xs:annotation>
</xs:element>
```

element msg/locationRequest/interval

diagram



properties
isRef 0
minOcc 0
maxOcc 1
content complex

attributes	Name	Type	Use	Default	Fixed	annotation
	seconds	xs:integer	optional			
	meter	xs:integer	optional			

annotation documentation

Interval between positions

source

```
<xs:element name="interval" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Interval between positions</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:attribute name="seconds" type="xs:integer" use="optional"/>
    <xs:attribute name="meter" type="xs:integer" use="optional"/>
  </xs:complexType>
</xs:element>
```

attribute msg/locationRequest/interval/@seconds

type **xs:integer**

properties
isRef 0
use optional

source

```
<xs:attribute name="seconds" type="xs:integer" use="optional"/>
```


attribute msg/locationRequest/interval/@meter

type **xs:integer**

properties isRef 0
 use optional
 source `<xs:attribute name="meter" type="xs:integer" use="optional"/>`

element msg/orderReport

diagram



If payment are separated for each node or suborder one economyreport for each node or suborder can be sent

properties isRef 0
 minOcc 0
 maxOcc 1
 content complex

children [eventReport](#) [summaryReport](#) [economyReport](#)

annotation documentation
 msg 6001

```

source <xs:element name="orderReport" minOccurs="0">
  <xs:annotation>
    <xs:documentation>msg 6001</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="eventReport" minOccurs="0" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="event" maxOccurs="unbounded">
              <xs:complexType>
                <xs:sequence>
                  <xs:element name="eventTime" type="time" minOccurs="0"/>
                  <xs:element name="subOrderEvent" type="subOrderType" minOccurs="0"/>
                </xs:sequence>
                <xs:attribute name="nodeSeqno" type="xs:positiveInteger"/>
                <xs:attribute name="eventType" use="required"/>
              <xs:simpleType>
                <xs:restriction base="xs:string">
                  <xs:enumeration value="acceptOrder"/>
                  <xs:enumeration value="start"/>
                  <xs:enumeration value="stop"/>
                  <xs:enumeration value="pickup"/>
                  <xs:enumeration value="destination"/>
                  <xs:enumeration value="navigation"/>
                  <xs:enumeration value="action"/>
                </xs:restriction>
              </xs:simpleType>
            </xs:attribute>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:sequence>
</xs:complexType>

```


```

</xs:element>
<xs:element name="summaryReport" maxOccurs="unbounded">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="subOrderSummary" type="subOrderType" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="orderEnded" type="xs:boolean" use="required">
      <xs:annotation>
        <xs:documentation>Indicates that this order is finished.</xs:documentation>
      </xs:annotation>
    </xs:attribute>
    <xs:attribute name="distanceStart" type="xs:integer">
      <xs:annotation>
        <xs:documentation>Distance from start of order measured in meters</xs:documentation>
      </xs:annotation>
    </xs:attribute>
    <xs:attribute name="durationStart" type="xs:integer">
      <xs:annotation>
        <xs:documentation>Duration from start of order measured in seconds</xs:documentation>
      </xs:annotation>
    </xs:attribute>
    <xs:attribute name="vehicle" type="xs:string">
      <xs:annotation>
        <xs:documentation>Vehicle that has performed this order</xs:documentation>
      </xs:annotation>
    </xs:attribute>
  </xs:complexType>
</xs:element>
<xs:element name="economyReport" minOccurs="0" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>If payment are separated for each node or suborder one economyreport for
each node or suborder can be sent</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="payment" type="formOfPayment"/>
      <xs:element name="subOrderEconomy" type="subOrderType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Used if economyreport are sent for each suborder</xs:documentation>
        </xs:annotation>
      </xs:element>
    </xs:sequence>
    <xs:attribute name="nodeSeqno" type="xs:positiveInteger">
      <xs:annotation>
        <xs:documentation>Used if economyreport are sent for each node</xs:documentation>
      </xs:annotation>
    </xs:attribute>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```

element msg/orderReport/eventReport

diagram



properties

isRef 0
minOcc 0
maxOcc unbounded
content complex

children [event](#)


```

source <xs:element name="eventReport" minOccurs="0" maxOccurs="unbounded">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="event" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="eventTime" type="time" minOccurs="0"/>
            <xs:element name="subOrderEvent" type="subOrderType" minOccurs="0"/>
          </xs:sequence>
            <xs:attribute name="nodeSeqno" type="xs:positiveInteger"/>
            <xs:attribute name="eventType" use="required">
              <xs:simpleType>
                <xs:restriction base="xs:string">
                  <xs:enumeration value="acceptOrder"/>
                  <xs:enumeration value="start"/>
                  <xs:enumeration value="stop"/>
                  <xs:enumeration value="pickup"/>
                  <xs:enumeration value="destination"/>
                  <xs:enumeration value="navigation"/>
                  <xs:enumeration value="action"/>
                </xs:restriction>
              </xs:simpleType>
            </xs:attribute>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>

```

element msg/orderReport/eventReport/event

diagram



properties

isRef	0
minOcc	1
maxOcc	unbounded
content	complex

children [eventTime](#) [subOrderEvent](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	nodeSeqno	xs:positiveInteger				
	eventType	derived by: xs:string	required			

```

source <xs:element name="event" maxOccurs="unbounded">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="eventTime" type="time" minOccurs="0"/>
      <xs:element name="subOrderEvent" type="subOrderType" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nodeSeqno" type="xs:positiveInteger"/>
    <xs:attribute name="eventType" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="acceptOrder"/>

```

```

        <xs:enumeration value="start"/>
        <xs:enumeration value="stop"/>
        <xs:enumeration value="pickup"/>
        <xs:enumeration value="destination"/>
        <xs:enumeration value="navigation"/>
        <xs:enumeration value="action"/>
    </xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

```

attribute **msg/orderReport/eventReport/event/@nodeSeqno**

```

    type xs:positiveInteger
    properties    isRef 0
    source <xs:attribute name="nodeSeqno" type="xs:positiveInteger"/>

```

attribute **msg/orderReport/eventReport/event/@eventType**


```

    type restriction of xs:string
    properties    isRef 0
                  use required
    facets
        enumeration acceptOrder
        enumeration start
        enumeration stop
        enumeration pickup
        enumeration destination
        enumeration navigation
        enumeration action
    source <xs:attribute name="eventType" use="required">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:enumeration value="acceptOrder"/>
                <xs:enumeration value="start"/>
                <xs:enumeration value="stop"/>
                <xs:enumeration value="pickup"/>
                <xs:enumeration value="destination"/>
                <xs:enumeration value="navigation"/>
                <xs:enumeration value="action"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:attribute>

```

element **msg/orderReport/eventReport/event/eventTime**

diagram




type		time					
properties	isRef	0					
	minOcc	0					
	maxOcc	1					
	content	complex					
attributes	Name	Type	Use	Default	Fixed	annotation	
	timeAccuracy	xs:string	optional			documentation	
						Used to indicate accepted deviation in attribute time	
	timeZone	xs:integer	optional			documentation	
						Timezone used in communication. Default is local timezone. See ISO 8601 for more information.	
	time	xs:dateTime	required			documentation	
	dwellTime	xs:int	optional			Time used to finish this node	
	timeType	derived by: xs:string	optional			documentation	

source `<xs:element name="eventTime" type="time" minOccurs="0"/>`

element `msg/orderReport/eventReport/event/subOrderEvent`

diagram



type [subOrderType](#)

properties


isRef	0
minOcc	0
maxOcc	1
content	complex

children [idOrder](#)

source `<xs:element name="subOrderEvent" type="subOrderType" minOccurs="0"/>`

element `msg/orderReport/summaryReport`

diagram



properties

isRef	0
minOcc	1
maxOcc	unbounded
content	complex

children [subOrderSummary](#)

attributes	Name	Type	Use	Default	Fixed	annotation documentation
	orderEnded	<code>xs:boolean</code>	required			Indicates that this order is finished.
	distanceStart	<code>xs:integer</code>				

durationStart **xs:integer**

n
Distance from
start of order
measured in
meters
documentatio

vehicle **xs:string**

n
Duration from
start of order
measured in
seconds
documentatio
n
Vehicle that
has
performed this
order

```
source <xs:element name="summaryReport" maxOccurs="unbounded">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="subOrderSummary" type="subOrderType" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="orderEnded" type="xs:boolean" use="required">
      <xs:annotation>
        <xs:documentation>Indicates that this order is finished.</xs:documentation>
      </xs:annotation>
    </xs:attribute>
    <xs:attribute name="distanceStart" type="xs:integer">
      <xs:annotation>
        <xs:documentation>Distance from start of order measured in meters</xs:documentation>
      </xs:annotation>
    </xs:attribute>
    <xs:attribute name="durationStart" type="xs:integer">
      <xs:annotation>
        <xs:documentation>Duration from start of order measured in seconds</xs:documentation>
      </xs:annotation>
    </xs:attribute>
    <xs:attribute name="vehicle" type="xs:string">
      <xs:annotation>
        <xs:documentation>Vehicle that has performed this order</xs:documentation>
      </xs:annotation>
    </xs:attribute>
  </xs:complexType>
</xs:element>
```

attribute **msg/orderReport/summaryReport/@orderEnded**

```
type xs:boolean
properties    isRef 0
               use  required
annotation    documentation
               Indicates that this order is finished.
source <xs:attribute name="orderEnded" type="xs:boolean" use="required">
  <xs:annotation>
    <xs:documentation>Indicates that this order is finished.</xs:documentation>
  </xs:annotation>
</xs:attribute>
```

attribute **msg/orderReport/summaryReport/@distanceStart**

```
type xs:integer
properties    isRef 0
```

annotation documentation
 Distance from start of order measured in meters
 source `<xs:attribute name="distanceStart" type="xs:integer">`
 `<xs:annotation>`
 `<xs:documentation>`Distance from start of order measured in meters`</xs:documentation>`
 `</xs:annotation>`
 `</xs:attribute>`

attribute `msg/orderReport/summaryReport/@durationStart`


type **xs:integer**
 properties isRef 0
 annotation documentation
 Duration from start of order measured in seconds
 source `<xs:attribute name="durationStart" type="xs:integer">`
 `<xs:annotation>`
 `<xs:documentation>`Duration from start of order measured in seconds`</xs:documentation>`
 `</xs:annotation>`
 `</xs:attribute>`

attribute `msg/orderReport/summaryReport/@vehicle`

type **xs:string**
 properties isRef 0
 annotation documentation
 Vehicle that has performed this order
 source `<xs:attribute name="vehicle" type="xs:string">`
 `<xs:annotation>`
 `<xs:documentation>`Vehicle that has performed this order`</xs:documentation>`
 `</xs:annotation>`
 `</xs:attribute>`

element `msg/orderReport/summaryReport/subOrderSummary`


diagram



type **subOrderType**
 properties
 isRef 0
 minOcc 0
 maxOcc 1
 content complex
 children **idOrder**
 source `<xs:element name="subOrderSummary" type="subOrderType" minOccurs="0"/>`

element msg/orderReport/economyReport

diagram



properties

isRef	0
minOcc	0
maxOcc	unbounded
content	complex

children [payment](#) [subOrderEconomy](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	nodeSeqno	xs:positiveInteger				documentation Used if economyreport are sent for each node

annotation documentation
If payment are separated for each node or suborder one economyreport for each node or suborder can be sent

source

```
<xs:element name="economyReport" minOccurs="0" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>If payment are separated for each node or suborder one economyreport for each node or suborder can be sent</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="payment" type="formOfPayment"/>
      <xs:element name="subOrderEconomy" type="subOrderType" minOccurs="0">
        <xs:annotation>
          <xs:documentation>Used if economyreport are sent for each suborder</xs:documentation>
        </xs:annotation>
      </xs:element>
    </xs:sequence>
    <xs:attribute name="nodeSeqno" type="xs:positiveInteger">
      <xs:annotation>
        <xs:documentation>Used if economyreport are sent for each node</xs:documentation>
      </xs:annotation>
    </xs:attribute>
  </xs:complexType>
</xs:element>
```

attribute msg/orderReport/economyReport/@nodeSeqno

type xs:positiveInteger

properties

isRef	0
-------	---

annotation documentation
Used if economyreport are sent for each node


```

source <xs:attribute name="nodeSeqno" type="xs:positiveInteger">
  <xs:annotation>
    <xs:documentation>Used if economyreport are sent for each node</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

element **msg/orderReport/economyReport/payment**

diagram




```

type formOfPayment
properties    isRef 0
               content complex
children payment
source <xs:element name="payment" type="formOfPayment"/>

```

element **msg/orderReport/economyReport/subOrderEconomy**

diagram




```

type subOrderType
properties    isRef 0
               minOcc 0
               maxOcc 1
               content complex
children idOrder
annotation    documentation
               Used if economyreport are sent for each suborder
source <xs:element name="subOrderEconomy" type="subOrderType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Used if economyreport are sent for each suborder</xs:documentation>
  </xs:annotation>
</xs:element>

```

element msg/nodeCancellation

diagram



properties	isRef	0					
	minOcc	0					
	maxOcc	1					
	content	complex					
attributes	Name	Type	Use	Default	Fixed	annotation	
	nodeStart	xs:positiveInteger	required			documentation	The startnode that shall be cancelled. Often a pickup
	nodeEnd	xs:positiveInteger				documentation	The endnode that shall be cancelled. Often a destination
annotation	documentation						
	Msg 2020 Node Cancellation						
source	<pre> <xs:element name="nodeCancellation" minOccurs="0"> <xs:annotation> <xs:documentation>Msg 2020 Node Cancellation</xs:documentation> </xs:annotation> <xs:complexType> <xs:attribute name="nodeStart" type="xs:positiveInteger" use="required"> <xs:annotation> <xs:documentation>The startnode that shall be cancelled. Often a pickup</xs:documentation> </xs:annotation> </xs:attribute> <xs:attribute name="nodeEnd" type="xs:positiveInteger"> <xs:annotation> <xs:documentation>The endnode that shall be cancelled. Often a destination</xs:documentation> </xs:annotation> </xs:attribute> </xs:complexType> </xs:element> </pre>						

attribute msg/nodeCancellation/@nodeStart

type	xs:positiveInteger
properties	isRef 0
	use required
annotation	documentation
	The startnode that shall be cancelled. Often a pickup
source	<pre> <xs:attribute name="nodeStart" type="xs:positiveInteger" use="required"> </pre>

```

<xs:annotation>
  <xs:documentation>The startnode that shall be cancelled. Often a pickup</xs:documentation>
</xs:annotation>
</xs:attribute>

```

attribute **msg/nodeCancellation/@nodeEnd**


```

type xs:positiveInteger
properties isRef 0
annotation documentation
  The endnode that shall be cancelled. Often a destination
source <xs:attribute name="nodeEnd" type="xs:positiveInteger">
  <xs:annotation>
    <xs:documentation>The endnode that shall be cancelled. Often a destination</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

complexType **multiDispatch**

diagram



used by element [process/multiDispatch](#)

attributes	Name	Type	Use	Default	Fixed	annotation documentation
	time	xs:dateTime	required			Time to answer this order.

```

annotation documentation
  Presence of this element in order indicates that the order may have been sent to more than one provider
source <xs:complexType name="multiDispatch">
  <xs:annotation>
    <xs:documentation>Presence of this element in order indicates that the order may have been sent to
more than one provider</xs:documentation>
  </xs:annotation>
  <xs:attribute name="time" type="xs:dateTime" use="required">
    <xs:annotation>
      <xs:documentation>Time to answer this order.</xs:documentation>
    </xs:annotation>
  </xs:attribute>
</xs:complexType>

```

attribute **multiDispatch/@time**


```

type xs:dateTime
properties isRef 0
           use required
annotation documentation
  Time to answer this order.
source <xs:attribute name="time" type="xs:dateTime" use="required">
  <xs:annotation>
    <xs:documentation>Time to answer this order.</xs:documentation>

```

```
</xs:annotation>
</xs:attribute>
```

complexType **node**
diagram



children [addressNode](#) [timesNode](#) [contents](#)

used by elements [route/node](#) [pickupConfirmation/node](#) [msg/pickupConfirmation/nodeConfirmed](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	nodeSeqno	xs:positiveInteger	required			documentation Sequence number of included nodes. Sequence shall start with the lowest number and continue in rising order to the highest.
	nodeType	derived by: xs:string	required			documentation Type of node. See enumerations.
	subnodeType	derived by: xs:string	optional			documentation subnodeType are used to further define nodeType "action". See enumerations.

annotation	documentation Description of the node. Point is a synonym for node. The node can be either of the types pickup, destination, navigation or action.
source	<pre> <xs:complexType name="node"> <xs:annotation> <xs:documentation>Description of the node. Point is a synonym for node. The node can be either of the types pickup, destination, navigation or action.</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="addressNode"> <xs:complexType> <xs:complexContent> <xs:extension base="addressType"/> </xs:complexContent> </xs:complexType> </xs:element> <xs:element name="timesNode" type="timesType"/> <xs:element name="contents" type="contents"/> </xs:sequence> <xs:attribute name="nodeSeqno" type="xs:positiveInteger" use="required"> <xs:annotation> <xs:documentation>Sequence number of included nodes. Sequence shall start with the lowest number and continue in rising order to the highest. </xs:documentation> </xs:annotation> </xs:attribute> <xs:attribute name="nodeType" use="required"> <xs:annotation> <xs:documentation>Type of node. See enumerations.</xs:documentation> </xs:annotation> </xs:attribute> <xs:simpleType> <xs:restriction base="xs:string"/> </xs:simpleType> <xs:attribute> <xs:attribute name="subnodeType" use="optional"> <xs:annotation> <xs:documentation>subnodeType are used to further define nodeType "action". See enumerations.</xs:documentation> </xs:annotation> </xs:attribute> </xs:attribute> </xs:complexType> </pre>

attribute **node/@nodeSeqno**

type	xs:positiveInteger
properties	isRef 0 use required
annotation	documentation Sequence number of included nodes. Sequence shall start with the lowest number and continue in rising order to the highest.
source	<pre> <xs:attribute name="nodeSeqno" type="xs:positiveInteger" use="required"> <xs:annotation> <xs:documentation>Sequence number of included nodes. Sequence shall start with the lowest number and continue in rising order to the highest. </xs:documentation> </xs:annotation> </xs:attribute> </pre>

attribute **node/@nodeType**

type restriction of **xs:string**


properties isRef 0
 use required
 annotation documentation
 Type of node. See enumerations.
 source <xs:attribute name="nodeType" use="required">
 <xs:annotation>
 <xs:documentation>Type of node. See enumerations.</xs:documentation>
 </xs:annotation>
 <xs:simpleType>
 <xs:restriction base="xs:string"/>
 </xs:simpleType>
 </xs:attribute>

attribute **node/@subnodeType**

type restriction of **xs:string**
 properties isRef 0
 use optional
 annotation documentation
 subnodeType are used to further define nodeType "action". See enumerations.
 source <xs:attribute name="subnodeType" use="optional">
 <xs:annotation>
 <xs:documentation>subnodeType are used to further define nodeType "action". See
 enumerations.</xs:documentation>
 </xs:annotation>
 <xs:simpleType>
 <xs:restriction base="xs:string"/>
 </xs:simpleType>
 </xs:attribute>

element **node/addressNode**


diagram



type	extension of addressType					
properties	isRef	0				
	content	complex				
children	manualDescriptionAddress geographicLocation idAddressName idStreet idPostalCode idCommunity idCountry idZone idMap attributeAddress					
attributes	Name	Type	Use	Default	Fixed	annotation
	addressName	xs:string	optional			
	street	xs:string	optional			
	streetNo	xs:positiveInteger	optional			
	streetNoLetter	xs:string	optional			
	location	xs:string	optional			
	community	xs:string	optional			
	postalNo	xs:string	optional			
	country	xs:string	optional			
	mapPage	xs:string	optional			
source	<xs:element name="addressNode"> <xs:complexType> <xs:complexContent> <xs:extension base="addressType"/> </xs:complexContent> </xs:complexType> </xs:element>					

element **node/timesNode**


diagram



type	timesType		
properties	isRef	0	
	content	complex	
children	time		
source	<xs:element name="timesNode" type="timesType"/>		

element **node/contents**


diagram



type	<u>contents</u>		
properties	isRef	0	
	content	complex	
children	<u>content</u>		
source	<xs:element name="contents" type="contents"/>		

complexType **order**

diagram



children [idOrder](#) [orgProvider](#) [agreement](#) [process](#) [economyOrder](#) [resourceOrder](#) [route](#)

used by element [msg/order](#)

annotation documentation

Order information elements, the meaning is dependant on SUTI-message type

source `<xs:complexType name="order">`


```

<xs:annotation>
  <xs:documentation>Order information elements, the meaning is dependant on SUTI-message
type</xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="idOrder" type="idType"/>
  <xs:element name="orgProvider" type="orgType" minOccurs="0"/>
  <xs:element name="agreement" type="agreement" minOccurs="0"/>
  <xs:element name="process" minOccurs="0">
    <xs:complexType>
      <xs:complexContent>
        <xs:extension base="process"/>
      </xs:complexContent>
    </xs:complexType>
  </xs:element>
  <xs:element name="economyOrder" type="economyType" minOccurs="0"/>
  <xs:element name="resourceOrder" type="resourceType" minOccurs="0">
    <xs:annotation>
      <xs:documentation>Contains the total amount of demands needed to complete this
order.</xs:documentation>
    </xs:annotation>
  </xs:element>
  <xs:element name="route" type="route" minOccurs="0"/>
</xs:sequence>
</xs:complexType>

```

element **order/idOrder**


diagram



type	idType					
properties	isRef	0				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
source	<xs:element name="idOrder" type="idType"/>					

element **order/orgProvider**


diagram



type	orgType					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
children	idOrg					
attributes	Name	Type	Use	Default	Fixed	annotation
	name	xs:string	required			
source	<xs:element name="orgProvider" type="orgType" minOccurs="0"/>					

element **order/agreement**

diagram



type [agreement](#)


properties isRef 0
 minOcc 0
 maxOcc 1
 content complex

children [idAgreement](#) [product](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	name	xs:string	optional			
source	<xs:element name="agreement" type="agreement" minOccurs="0"/>					

element **order/process**

diagram



type	extension of process					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
children	multiDispatch					
attributes	Name	Type	Use	Default	Fixed	annotation
	manualDispatch	xs:boolean	required			documentation n True indicates that this order have to be manually handled before dispatch.
	dispatch	xs:boolean	required			documentation n True indicates that dispatch message shall be sent. False indicates that no dispatch message shall be sent, i.e. Client dont need to know about the result of the dispatch.
	dispatchResponsible	derived by: xs:string	required			documentation n Client indicates that the client shall approve of the suggested vehicle before dispatch can be completed. Provider indicates that the provider completes dispatch without the client having to approve it the dispatched vehicle. If attribute "dispatch" is true the client shall be informed about the result of the dispatch.
	trafficControl	xs:boolean	required			documentation n True indicates the the client will handle traffic control

and that messages in block 4 shall be used.

[report](#) **xs:boolean** required

documentation
True indicates that report shall be sent and messages in block 6 shall be used.

[preorderedVehicle](#) **xs:boolean** required

documentation
True indicates that a specific vehicle shall be used in a repetitive order. Dispatch will be simplified and contains only a confirmation that the specific vehicle is available.

[allowRouting](#) **xs:boolean** required

documentation
True indicates that this order can be routed with another order.

[automaticStatus](#) **xs:boolean** optional

documentation
True indicates that an agreement has been made that the provider automatically shall report the status of the vehicle executing this order at a certain distance from next node.

[statusDistance](#) **xs:nonNegativeInteger** optional

documentation
Distance to next node in meter. Used together with automaticStat


```

source <xs:element name="process" minOccurs="0">
  <xs:complexType>
    <xs:complexContent>
      <xs:extension base="process"/>
    </xs:complexContent>
  </xs:complexType>
</xs:element>

```

element **order/economyOrder**

diagram



type [economyType](#)

properties


isRef	0
minOcc	0
maxOcc	1
content	complex

children [price](#) [formOfPayment](#) [exchangeRates](#)

source <xs:element name="economyOrder" type="economyType" minOccurs="0"/>

element **order/resourceOrder**

diagram



type [resourceType](#)

properties isRef 0
 minOcc 0
 maxOcc 1
 content complex


children [vehicle](#) [manualDescriptionResource](#) [idOrg](#) [driver](#) [vehiclestartLocation](#)

annotation documentation
 Contains the total amount of demands needed to complete this order.

source <xs:element name="resourceOrder" type="resourceType" minOccurs="0">
 <xs:annotation>
 <xs:documentation>Contains the total amount of demands needed to complete this
 order.</xs:documentation>
 </xs:annotation>
 </xs:element>

element **order/route**

diagram



type [route](#)


properties isRef 0
 minOcc 0
 maxOcc 1
 content complex

children [node](#)

source <xs:element name="route" type="route" minOccurs="0"/>

complexType **orderReject**

diagram



children [attributesReject](#) [orgNewProvider](#) [resourceReject](#) [orderSentBefore](#)

used by element [msg/orderReject](#)

annotation documentation
 Reject reasons, potential new provider etc

source <xs:complexType name="orderReject">
 <xs:annotation>
 <xs:documentation>Reject reasons, potential new provider etc</xs:documentation>
 </xs:annotation>


```

<xs:sequence>
  <xs:element name="attributesReject" minOccurs="0">
    <xs:annotation>
      <xs:documentation>Indicates which attributes that the rejection of this order are based
upon.</xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:complexContent>
        <xs:extension base="attributesType"/>
      </xs:complexContent>
    </xs:complexType>
  </xs:element>
  <xs:element name="orgNewProvider" type="orgType" minOccurs="0"/>
  <xs:element name="resourceReject" type="resourceType" minOccurs="0">
    <xs:annotation>
      <xs:documentation>Indicates which resources that the rejection of this order are based
upon.</xs:documentation>
    </xs:annotation>
  </xs:element>
  <xs:element name="orderSentBefore" minOccurs="0">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="idMsg" type="idType"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:sequence>
</xs:complexType>

```

element **orderReject/attributesReject**


diagram



type	extension of attributesType
properties	isRef 0 minOcc 0 maxOcc 1 content complex
children	attribute
annotation	documentation Indicates which attributes that the rejection of this order are based upon.
source	<pre> <xs:element name="attributesReject" minOccurs="0"> <xs:annotation> <xs:documentation>Indicates which attributes that the rejection of this order are based upon.</xs:documentation> </xs:annotation> <xs:complexType> <xs:complexContent> <xs:extension base="attributesType"/> </xs:complexContent> </xs:complexType> </xs:element> </pre>

element **orderReject/orgNewProvider**


diagram



type	orgType					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
children	idOrg					
attributes	Name	Type	Use	Default	Fixed	annotation
	name	xs:string	required			
source	<xs:element name="orgNewProvider" type="orgType" minOccurs="0"/>					

element **orderReject/resourceReject**

diagram




type	resourceType									
properties	isRef	0								
	minOcc	0								
	maxOcc	1								
	content	complex								
children	vehicle manualDescriptionResource idOrg driver vehiclestartLocation									
annotation	documentation									
	Indicates which resources that the rejection of this order are based upon.									

```

source <xs:element name="resourceReject" type="resourceType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Indicates which resources that the rejection of this order are based
upon.</xs:documentation>
  </xs:annotation>
</xs:element>

```

element **orderReject/orderSentBefore**



properties

isRef	0
minOcc	0
maxOcc	1
content	complex


children [idMsg](#)

```

source <xs:element name="orderSentBefore" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="idMsg" type="idType"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

element **orderReject/orderSentBefore/idMsg**



type [idType](#)


properties

isRef	0
content	complex

attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		

source <xs:element name="idMsg" type="idType"/>

complexType **orgType**




children	idOrg					
used by	elements	orderReject/orgNewProvider order/orgProvider SUTI/orgReceiver associatedReservation/orgReservation SUTI/orgSender				
attributes	Name	Type	Use	Default	Fixed	annotation
	name	xs:string	required			
annotation	documentation General type organization-element					
source	<pre><xs:complexType name="orgType"> <xs:annotation> <xs:documentation>General type organization-element</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="idOrg" type="idType"/> </xs:sequence> <xs:attribute name="name" type="xs:string" use="required"/> </xs:complexType></pre>					

attribute **orgType/@name**

type	xs:string
properties	isRef 0 use required
source	<pre><xs:attribute name="name" type="xs:string" use="required"/></pre>

element **orgType/idOrg**


diagram



type	idType					
properties	isRef 0 content complex					
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
source	<pre><xs:element name="idOrg" type="idType"/></pre>					

complexType **payment**

diagram



children [idPayment](#) [idCurrency](#) [idEkInfo](#)

used by element [formOfPayment/payment](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	amount	xs:float	optional			
	paymentType	derived by: xs:string	required			documentation n Type of payment. See enumerations.
	documentType	xs:string	optional			documentation n Specifikation of what kind of document that are used
	noOfDocument	xs:nonNegativeInteger	optional			
	seqno	xs:positiveInteger	optional			

annotation documentation
Many payments form the formOfPayment. The types of payment can be Cash, Card, Account, Ticke, Document or SocialServiceFee

source

```
<xs:complexType name="payment">
  <xs:annotation>
    <xs:documentation>Many payments form the formOfPayment. The types of payment can be Cash, Card, Account, Ticke, Document or SocialServiceFee</xs:documentation>
  </xs:annotation>
  <xs:sequence>
```

```

<xs:element name="idPayment" type="idType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Source (src) shall refer to the actual set of payment types used by the
provider</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="idCurrency" type="idType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Source (src) shall refer to ISO 4217.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="idEkInfo" type="idEkInfo" minOccurs="0"/>
</xs:sequence>
<xs:attribute name="amount" type="xs:float" use="optional"/>
<xs:attribute name="paymentType" use="required">
  <xs:annotation>
    <xs:documentation>Type of payment. See enumerations.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="documentType" type="xs:string" use="optional">
  <xs:annotation>
    <xs:documentation>Specifikation of what kind of document that are used</xs:documentation>
  </xs:annotation>
</xs:attribute>
<xs:attribute name="noOfDocuments" type="xs:nonNegativeInteger" use="optional"/>
<xs:attribute name="seqno" type="xs:positiveInteger" use="optional"/>
</xs:complexType>

```

attribute **payment/@amount**

```

type    xs:float
properties  isRef  0
              use  optional
source    <xs:attribute name="amount" type="xs:float" use="optional"/>

```

attribute **payment/@paymentType**

```

type    restriction of xs:string
properties  isRef  0
              use  required
annotation  documentation
              Type of payment. See enumerations.
source    <xs:attribute name="paymentType" use="required">
  <xs:annotation>
    <xs:documentation>Type of payment. See enumerations.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
</xs:attribute>

```

attribute **payment/@documentType**

```

type    xs:string
properties  isRef  0
              use  optional
annotation  documentation
              Specifikation of what kind of document that are used

```

```

source <xs:attribute name="documentType" type="xs:string" use="optional">
  <xs:annotation>
    <xs:documentation>Specifikation of what kind of document that are used</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

attribute **payment/@noOfDocuments**

```

type xs:nonNegativeInteger
properties isRef 0
           use optional
source <xs:attribute name="noOfDocuments" type="xs:nonNegativeInteger" use="optional"/>

```

attribute **payment/@seqno**


```

type xs:positiveInteger
properties isRef 0
           use optional
source <xs:attribute name="seqno" type="xs:positiveInteger" use="optional"/>

```

element **payment/idPayment**

diagram




```

type idType
properties isRef 0
           minOcc 0
           maxOcc 1
           content complex
attributes
  Name      Type      Use      Default      Fixed      annotation
  src       xs:string  required
  id        xs:string  required
  unique    xs:boolean optional      false
annotation
  documentation
    Source (src) shall refer to the actual set of payment types used by the provider
source <xs:element name="idPayment" type="idType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Source (src) shall refer to the actual set of payment types used by the
    provider</xs:documentation>
  </xs:annotation>
</xs:element>

```

element **payment/idCurrency**

diagram




type [idType](#)

properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	Source (src) shall refer to ISO 4217.				
	source	<code><xs:element name="idCurrency" type="idType" minOccurs="0"></code> <code><xs:annotation></code> <code><xs:documentation>Source (src) shall refer to ISO 4217.</xs:documentation></code> <code></xs:annotation></code> <code></xs:element></code>				

element **payment/idEkInfo**

diagram



type idEkInfo						
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	derived by: xs:string	required			documentation
						n
						Typ av Id. Example project or


costcenter

<u>id</u>	xs:string	required	
<u>unique</u>	xs:boolean	optional	false

source `<xs:element name="idEkInfo" type="idEkInfo" minOccurs="0"/>`

complexType pickupConfirmation

diagram

children [node](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	pickupConfirmation	xs:boolean	required			
annotation	documentation					
	Node and content					

source `<xs:complexType name="pickupConfirmation">`
`<xs:annotation>`
`<xs:documentation>Node and content</xs:documentation>`
`</xs:annotation>`
`<xs:sequence>`
`<xs:element name="node" type="node"/>`
`</xs:sequence>`
`<xs:attribute name="pickupConfirmation" type="xs:boolean" use="required"/>`
`</xs:complexType>`

attribute pickupConfirmation/@pickupConfirmation


type **xs:boolean**

properties	isRef	0
	use	required

source `<xs:attribute name="pickupConfirmation" type="xs:boolean" use="required"/>`

element **pickupConfirmation/node**

diagram



type	node					
properties	isRef	0				
	content	complex				
children	addressNode timesNode contents					
attributes	Name	Type	Use	Default	Fixed	annotation
	nodeSeqno	xs:positiveInteger	required			documentation n Sequence number of included nodes. Sequence shall start with the lowest number and continue in rising order to the highest.
	nodeType	derived by: xs:string	required			documentation n Type of node. See enumerations.
	subnodeType	derived by: xs:string	optional			documentation n subnodeType are used to further define nodeType




"action". See enumerations.

```
source <xs:element name="node" type="node"/>
```

complexType **position**

diagram



used by	element seats/position					
attributes	Name	Type	Use	Default	Fixed	annotation
	row	xs:positiveInteger	required			documentation Row are counted from the front seat and back and numbered from 1 to n.
	seat	xs:string	optional			documentation Seat are counted from left to right, compare airline seating, and numbered A,B, c and so on
	direction	derived by: xs:string	optional			documentation

Indicates the travelling direction. Reference to the latest version of SutiAttributeList documentation

Indicates the need of legspace of the traveller. See enumerations documentation

Access means the amount of seats that traveller may pass over to reach his or her dedicated seat.

legSpace **derived by:** optional
xs:string

access **xs:nonNegativeInteger** optional

annotation documentation
The characteristics of a seat position

```

source <xs:complexType name="position">
  <xs:annotation>
    <xs:documentation>The characteristics of a seat position</xs:documentation>
  </xs:annotation>
  <xs:attribute name="row" type="xs:positiveInteger" use="required">
    <xs:annotation>
      <xs:documentation>Row are counted from the front seat and back and numbered from 1 to
n.</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="seat" type="xs:string" use="optional">
    <xs:annotation>
      <xs:documentation>Seat are counted from left to right, compare airline seating, and numbered A,B, c
and so on</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="direction" use="optional">
    <xs:annotation>
      <xs:documentation>Indicates the travelling direction. Reference to the latest version of
SutiAttributeList</xs:documentation>
    </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
  </xs:attribute>
  <xs:attribute name="legSpace" use="optional">
    <xs:annotation>
      <xs:documentation>Indicates the need of legspace of the traveller. See
enumerations</xs:documentation>
    </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
  </xs:attribute>
  <xs:attribute name="access" type="xs:nonNegativeInteger" use="optional">
    <xs:annotation>
      <xs:documentation>Access means the amount of seats that traveller may pass over to reach his or her
dedicated seat. </xs:documentation>
    </xs:annotation>
  </xs:attribute>
</xs:complexType>

```

```

</xs:annotation>
</xs:attribute>
</xs:complexType>

```

attribute **position/@row**

```

type xs:positiveInteger
properties      isRef 0
                 use  required
annotation      documentation
                 Row are counted from the front seat and back and numbered from 1 to n.
source          <xs:attribute name="row" type="xs:positiveInteger" use="required">
                 <xs:annotation>
                 <xs:documentation>Row are counted from the front seat and back and numbered from 1 to
                 n.</xs:documentation>
                 </xs:annotation>
                 </xs:attribute>

```

attribute **position/@seat**

```

type xs:string
properties      isRef 0
                 use  optional
annotation      documentation
                 Seat are counted from left to right, compare airline seating, and numbered A,B, c and so on
source          <xs:attribute name="seat" type="xs:string" use="optional">
                 <xs:annotation>
                 <xs:documentation>Seat are counted from left to right, compare airline seating, and numbered A,B, c
                 and so on</xs:documentation>
                 </xs:annotation>
                 </xs:attribute>

```

attribute **position/@direction**

```

type restriction of xs:string
properties      isRef 0
                 use  optional
annotation      documentation
                 Indicates the travelling direction. Reference to the latest version of SutiAttributeList
source          <xs:attribute name="direction" use="optional">
                 <xs:annotation>
                 <xs:documentation>Indicates the travelling direction. Reference to the latest version of
                 SutiAttributeList</xs:documentation>
                 </xs:annotation>
                 <xs:simpleType>
                 <xs:restriction base="xs:string"/>
                 </xs:simpleType>
                 </xs:attribute>

```

attribute **position/@legSpace**

```

type restriction of xs:string
properties      isRef 0
                 use  optional
annotation      documentation
                 Indicates the need of legspace of the traveller. See enumerations
source          <xs:attribute name="legSpace" use="optional">
                 <xs:annotation>
                 <xs:documentation>Indicates the need of legspace of the traveller. See

```

```

enumerations</xs:documentation>
</xs:annotation>
<xs:simpleType>
  <xs:restriction base="xs:string"/>
</xs:simpleType>
</xs:attribute>

```

attribute **position/@access**

type **xs:nonNegativeInteger**


properties isRef 0 use optional

annotation documentation
Access means the amount of seats that traveller may pass over to reach his or her dedicated seat.

source **<xs:attribute name="access" type="xs:nonNegativeInteger" use="optional">**
<xs:annotation>
<xs:documentation>Access means the amount of seats that traveller may pass over to reach his or her
 dedicated seat. **</xs:documentation>**
</xs:annotation>
</xs:attribute>

complexType **price**

diagram



children [taxiMeter](#) [priceCalculation](#) [idCurrency](#)

used by	element economyType/price					
attributes	Name	Type	Use	Default	Fixed	annotation
	priceResponsible	derived by: xs:string	required			documentation Indicate if client or provider sets a price. See enumerations.
	fixedPrice	xs:boolean	required			documentation True if price is fixed
	vatIncluded	xs:boolean	required			documentation True if VAT is included in price
	vatPercent	xs:float	optional			documentation VAT percentage
	price	xs:float	optional			documentation Price as set by priceResponsible. If vatIncluded are True this price include VAT
	vat	xs:float	optional			documentation Amount of VAT
annotation	documentation Price elements					
source	<pre> <xs:complexType name="price"> <xs:annotation> <xs:documentation>Price elements</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="taxiMeter" type="taxiMeter" minOccurs="0"/> <xs:element name="priceCalculation" type="priceCalculation" minOccurs="0"/> <xs:element name="idCurrency" type="idType" minOccurs="0"/> <xs:annotation> <xs:documentation>Source (src) shall refer to ISO 4217.</xs:documentation> </xs:annotation> </xs:sequence> <xs:attribute name="priceResponsible" use="required"> <xs:annotation> <xs:documentation>Indicate if client or provider sets a price. See enumerations.</xs:documentation> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"/> </xs:simpleType> </xs:attribute> <xs:attribute name="fixedPrice" type="xs:boolean" use="required"> <xs:annotation> <xs:documentation>True if price is fixed</xs:documentation> </xs:annotation> </xs:attribute> <xs:attribute name="vatIncluded" type="xs:boolean" use="required"> <xs:annotation> </pre>					

```

    <xs:documentation>True if VAT is included in price</xs:documentation>
  </xs:annotation>
</xs:attribute>
<xs:attribute name="vatPercent" type="xs:float" use="optional">
  <xs:annotation>
    <xs:documentation>VAT percentage</xs:documentation>
  </xs:annotation>
</xs:attribute>
<xs:attribute name="price" type="xs:float" use="optional">
  <xs:annotation>
    <xs:documentation>Price as set by priceResponsible. If vatIncluded are True this price include
VAT</xs:documentation>
  </xs:annotation>
</xs:attribute>
<xs:attribute name="vat" type="xs:float" use="optional">
  <xs:annotation>
    <xs:documentation>Amount of VAT</xs:documentation>
  </xs:annotation>
</xs:attribute>
</xs:complexType>

```

attribute price/@priceResponsible

```

type restriction of xs:string
properties isRef 0
            use required
annotation documentation
            Indicate if client or provider sets a price. See enumerations.
source <xs:attribute name="priceResponsible" use="required">
  <xs:annotation>
    <xs:documentation>Indicate if client or provider sets a price. See enumerations.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
</xs:attribute>

```

attribute price/@fixedPrice

```

type xs:boolean
properties isRef 0
            use required
annotation documentation
            True if price is fixed
source <xs:attribute name="fixedPrice" type="xs:boolean" use="required">
  <xs:annotation>
    <xs:documentation>True if price is fixed</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

attribute price/@vatIncluded

```

type xs:boolean
properties isRef 0
            use required
annotation documentation
            True if VAT is included in price
source <xs:attribute name="vatIncluded" type="xs:boolean" use="required">
  <xs:annotation>
    <xs:documentation>True if VAT is included in price</xs:documentation>
  </xs:annotation>

```

</xs:attribute>

attribute **price/@vatPercent**

type **xs:float**
properties isRef 0
use optional
annotation documentation
VAT percentage
source <xs:attribute name="vatPercent" type="xs:float" use="optional">
<xs:annotation>
<xs:documentation>VAT percentage</xs:documentation>
</xs:annotation>
</xs:attribute>

attribute **price/@price**


type **xs:float**
properties isRef 0
use optional
annotation documentation
Price as set by priceResponsible. If vatIncluded are True this price include VAT
source <xs:attribute name="price" type="xs:float" use="optional">
<xs:annotation>
<xs:documentation>Price as set by priceResponsible. If vatIncluded are True this price include
VAT</xs:documentation>
</xs:annotation>
</xs:attribute>

attribute **price/@vat**

type **xs:float**
properties isRef 0
use optional
annotation documentation
Amount of VAT
source <xs:attribute name="vat" type="xs:float" use="optional">
<xs:annotation>
<xs:documentation>Amount of VAT</xs:documentation>
</xs:annotation>
</xs:attribute>

element **price/taxiMeter**


diagram



type	taxiMeter					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
children	idTaxa					
attributes	Name	Type	Use	Default	Fixed	annotation documentation Indicates if taximeter shall be activated in vehicle. TRUE = Activate FALSE = no activation
	activate	xs:boolean	required			
source	<xs:element name="taxiMeter" type="taxiMeter" minOccurs="0"/>					

element **price/priceCalculation**

diagram




type	priceCalculation					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
children	idCurrency					
attributes	Name	Type	Use	Default	Fixed	annotation
	vatIncluded	xs:boolean	required			documentation If True VAT shall be included in calculated price.
	vatPercent	xs:float	optional			documentation VAT percentage used in calculation.
	startFee	xs:float	required			documentation Type of calculation. See enumerations.
	kmFee	xs:float	required			
	minuteFee	xs:float	required			
	formula	derived by: xs:string	required			

source `<xs:element name="priceCalculation" type="priceCalculation" minOccurs="0"/>`

element **price/idCurrency**

diagram




type [idType](#)

properties	isRef	0								
	minOcc	0								
	maxOcc	1								
	content	complex								
attributes	Name	Type	Use	Default	Fixed	annotation				
	src	xs:string	required							
	id	xs:string	required							
	unique	xs:boolean	optional	false						
annotation	documentation									
	Source (src) shall refer to ISO 4217.									
source	<pre><xs:element name="idCurrency" type="idType" minOccurs="0"> <xs:annotation> <xs:documentation>Source (src) shall refer to ISO 4217.</xs:documentation> </xs:annotation> </xs:element></pre>									

complexType **priceCalculation**

diagram



children	idCurrency					
used by	element	price/priceCalculation				
attributes	Name	Type	Use	Default	Fixed	annotation
	vatIncluded	xs:boolean	required			documentatio n If True VAT shall be included in calculated price. documentatio n VAT percentage used in calculation.
	vatPercent	xs:float	optional			
	startFee	xs:float	required			
	kmFee	xs:float	required			
	minuteFee	xs:float	required			
	formula	derived by: xs:string	required			documentatio n Type of calculation. See enumerations.

annotation documentation
Potential description of how taxa is constructed

```

source <xs:complexType name="priceCalculation">
  <xs:annotation>
    <xs:documentation>Potential description of how taxa is constructed</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="idCurrency" type="idType">
      <xs:annotation>
        <xs:documentation>Source (src) shall refer to ISO 4217.</xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
  <xs:attribute name="vatIncluded" type="xs:boolean" use="required">
    <xs:annotation>
      <xs:documentation>If True VAT shall be included in calculated price.</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="vatPercent" type="xs:float" use="optional">
    <xs:annotation>
      <xs:documentation>VAT percentage used in calculation.</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="startFee" type="xs:float" use="required"/>
  <xs:attribute name="kmFee" type="xs:float" use="required"/>
  <xs:attribute name="minuteFee" type="xs:float" use="required"/>
  <xs:attribute name="formula" use="required">
    <xs:annotation>
      <xs:documentation>Type of calculation. See enumerations.</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
</xs:complexType>

```

attribute **priceCalculation/@vatIncluded**

type **xs:boolean**

```

properties    isRef 0
              use  required
annotation    documentation
              If True VAT shall be included in calculated price.
source        <xs:attribute name="vatIncluded" type="xs:boolean" use="required">
              <xs:annotation>
                <xs:documentation>If True VAT shall be included in calculated price.</xs:documentation>
              </xs:annotation>
            </xs:attribute>

```

attribute **priceCalculation/@vatPercent**

```

type  xs:float
properties    isRef 0
              use  optional
annotation    documentation
              VAT percentage used in calculation.
source        <xs:attribute name="vatPercent" type="xs:float" use="optional">
              <xs:annotation>
                <xs:documentation>VAT percentage used in calculation.</xs:documentation>
              </xs:annotation>
            </xs:attribute>

```

attribute **priceCalculation/@startFee**

```

type  xs:float
properties    isRef 0
              use  required
source        <xs:attribute name="startFee" type="xs:float" use="required"/>

```

attribute **priceCalculation/@kmFee**

```

type  xs:float
properties    isRef 0
              use  required
source        <xs:attribute name="kmFee" type="xs:float" use="required"/>

```

attribute **priceCalculation/@minuteFee**

```

type  xs:float
properties    isRef 0
              use  required
source        <xs:attribute name="minuteFee" type="xs:float" use="required"/>

```

attribute **priceCalculation/@formula**

```


type  restriction of xs:string
properties    isRef 0
              use  required
annotation    documentation
              Type of calculation. See enumerations.
source        <xs:attribute name="formula" use="required">
              <xs:annotation>
                <xs:documentation>Type of calculation. See enumerations.</xs:documentation>
              </xs:annotation>
            <xs:simpleType>

```

```
<xs:restriction base="xs:string"/>
</xs:simpleType>
</xs:attribute>
```

element **priceCalculation/idCurrency**


diagram



type	idType					
properties	isRef	0				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	Source (src) shall refer to ISO 4217.				
	source	<pre><xs:element name="idCurrency" type="idType"> <xs:annotation> <xs:documentation>Source (src) shall refer to ISO 4217.</xs:documentation> </xs:annotation> </xs:element></pre>				

complexType **process**

diagram



children	multiDispatch					
used by	element	order/process				
attributes	Name	Type	Use	Default	Fixed	annotation
	manualDispatch	xs:boolean	required			documentation True indicates that this order have to be manually handled before dispatch.
	dispatch	xs:boolean	required			documentation True indicates that dispatch message shall be sent. False indicates that no dispatch message shall be sent, i.e. Client dont need to know about the result of the dispatch.
	dispatchResponse	derived by: xs:string	required			documentation Client indicates that the client shall approve of the suggested vehicle before dispatch can be completed. Provider indicates that the provider completes dispatch without the client having to approve it the dispatched vehicle. If attribute "dispatch" is true the client shall be informed about the result of the dispatch.
	trafficControl	xs:boolean	required			documentation True indicates the the client will handle traffic control and that messages in block 4 shall be used.

report	xs:boolean	required	<p>documentation</p> <p>True indicates that report shall be sent and messages in block 6 shall be used.</p>
preorderedVehicle	xs:boolean	required	<p>documentation</p> <p>True indicates that a specific vehicle shall be used in a repetitive order. Dispatch will be simplified and contains only a confirmation that the specific vehicle is available.</p>
allowRouting	xs:boolean	required	<p>documentation</p> <p>True indicates that this order can be routed with another order.</p>
automaticStatus	xs:boolean	optional	<p>documentation</p> <p>True indicates that an agreement has been made that the provider automatically shall report the status of the vehicle executing this order at a certain distance from next node.</p>
statusDistance	xs:nonNegativeInteger	optional	<p>documentation</p> <p>Distance to next node in meter. Used together with automaticStatus.</p>

annotation documentation
When order is sent this element describes how the client and provider will process order. Required only in

first order.

```

source <xs:complexType name="process">
  <xs:annotation>
    <xs:documentation>When order is sent this element describes how the client and provider will process
order. Required only in first order.</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="multiDispatch" type="multiDispatch" minOccurs="0"/>
  </xs:sequence>
  <xs:attribute name="manualDispatch" type="xs:boolean" use="required">
    <xs:annotation>
      <xs:documentation>True indicates that this order have to be manually handled before
dispatch.</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="dispatch" type="xs:boolean" use="required">
    <xs:annotation>
      <xs:documentation>True indicates that dispatch message shall be sent. False indicates that no
dispatch message shall be sent, i.e. Client dont need to know about the result of the
dispatch.</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="dispatchResponsible" use="required">
    <xs:annotation>
      <xs:documentation>Client indicates that the client shall approve of the suggested vehicle before
dispatch can be completed. Provider indicates that the provider completes dispatch without the client
having to approve it the dispatched vehicle. If attribute "dispatch" is true the client shall be informed about
the result of the dispatch.</xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
  </xs:attribute>
  <xs:attribute name="trafficControl" type="xs:boolean" use="required">
    <xs:annotation>
      <xs:documentation>True indicates the the client will handle traffic control and that messages in block 4
shall be used.
    </xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="report" type="xs:boolean" use="required">
    <xs:annotation>
      <xs:documentation>True indicates that report shall be sent and messages in block 6 shall be used.
    </xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="preorderedVehicle" type="xs:boolean" use="required">
    <xs:annotation>
      <xs:documentation>True indicates that a specific vehicle shall be used in a repetetive order. Dispatch
will be simplified and contains only a confirmation that the specific vehicle is available.
    </xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="allowRouting" type="xs:boolean" use="required">
    <xs:annotation>
      <xs:documentation>True indicates that this order can be routed with another order.
    </xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="automaticStatus" type="xs:boolean" use="optional">
    <xs:annotation>
      <xs:documentation>True indicates that an agreement has been made that the provider automatically
shall report the status of the vehicle executing this order at a certain distance from next node.
    </xs:documentation>
    </xs:annotation>
  </xs:attribute>
  <xs:attribute name="statusDistance" type="xs:nonNegativeInteger" use="optional">

```

```

    <xs:annotation>
      <xs:documentation>Distance to next node in meter. Used together with automaticStatus.
    </xs:documentation>
  </xs:annotation>
</xs:attribute>
</xs:complexType>

```

attribute **process/@manualDispatch**

```

type xs:boolean
properties    isRef 0
               use  required
annotation    documentation
               True indicates that this order have to be manually handled before dispatch.
source <xs:attribute name="manualDispatch" type="xs:boolean" use="required">
  <xs:annotation>
    <xs:documentation>True indicates that this order have to be manually handled before
dispatch.</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

attribute **process/@dispatch**

```

type xs:boolean
properties    isRef 0
               use  required
annotation    documentation
               True indicates that dispatch message shall be sent. False indicates that no dispatch message shall be
sent, i.e. Client dont need to know about the result of the dispatch.
source <xs:attribute name="dispatch" type="xs:boolean" use="required">
  <xs:annotation>
    <xs:documentation>True indicates that dispatch message shall be sent. False indicates that no dispatch
message shall be sent, i.e. Client dont need to know about the result of the dispatch.</xs:documentation>
  </xs:annotation>
</xs:attribute>

```

attribute **process/@dispatchResponsible**

```

type restriction of xs:string
properties    isRef 0
               use  required
annotation    documentation
               Client indicates that the client shall approve of the suggested vehicle before dispatch can be completed.
Provider indicates that the provider completes dispatch without the client having to approve it the
dispatched vehicle. If attribute "dispatch" is true the client shall be informed about the result of the
dispatch.
source <xs:attribute name="dispatchResponsible" use="required">
  <xs:annotation>
    <xs:documentation>Client indicates that the client shall approve of the suggested vehicle before
dispatch can be completed. Provider indicates that the provider completes dispatch without the client
having to approve it the dispatched vehicle. If attribute "dispatch" is true the client shall be informed about
the result of the dispatch.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
</xs:attribute>

```

attribute **process/@trafficControl**

type **xs:boolean**

properties isRef 0
use required

annotation documentation
True indicates the the client will handle traffic control and that messages in block 4 shall be used.

source `<xs:attribute name="trafficControl" type="xs:boolean" use="required">
 <xs:annotation>
 <xs:documentation>True indicates the the client will handle traffic control and that messages in block 4
 shall be used.
 </xs:documentation>
 </xs:annotation>
 </xs:attribute>`

attribute **process/@report**

type **xs:boolean**

properties isRef 0
use required

annotation documentation
True indicates that report shall be sent and messages in block 6 shall be used.

source `<xs:attribute name="report" type="xs:boolean" use="required">
 <xs:annotation>
 <xs:documentation>True indicates that report shall be sent and messages in block 6 shall be used.
 </xs:documentation>
 </xs:annotation>
 </xs:attribute>`

attribute **process/@preorderedVehicle**

type **xs:boolean**

properties isRef 0
use required

annotation documentation
True indicates that a specific vehicle shall be used in a repetitive order. Dispatch will be simplified and contains only a confirmation that the specific vehicle is available.

source `<xs:attribute name="preorderedVehicle" type="xs:boolean" use="required">
 <xs:annotation>
 <xs:documentation>True indicates that a specific vehicle shall be used in a repetitive order. Dispatch
 will be simplified and contains only a confirmation that the specific vehicle is available.
 </xs:documentation>
 </xs:annotation>
 </xs:attribute>`

attribute **process/@allowRouting**

type **xs:boolean**

properties isRef 0
use required

annotation documentation
True indicates that this order can be routed with another order.

source `<xs:attribute name="allowRouting" type="xs:boolean" use="required">`

```

<xs:annotation>
  <xs:documentation>True indicates that this order can be routed with another order.
</xs:documentation>
</xs:annotation>
</xs:attribute>

```

attribute **process/@automaticStatus**

type **xs:boolean**

properties isRef 0
use optional

annotation documentation
True indicates that an agreement has been made that the provider automatically shall report the status of the vehicle executing this order at a certain distance from next node.

source

```
<xs:attribute name="automaticStatus" type="xs:boolean" use="optional">
  <xs:annotation>
    <xs:documentation>True indicates that an agreement has been made that the provider automatically
    shall report the status of the vehicle executing this order at a certain distance from next node.
  </xs:documentation>
  </xs:annotation>
</xs:attribute>
```

attribute **process/@statusDistance**

type **xs:nonNegativeInteger**

properties isRef 0
use optional


annotation documentation
Distance to next node in meter. Used together with automaticStatus.

source

```
<xs:attribute name="statusDistance" type="xs:nonNegativeInteger" use="optional">
  <xs:annotation>
    <xs:documentation>Distance to next node in meter. Used together with automaticStatus.
  </xs:documentation>
  </xs:annotation>
</xs:attribute>
```

element **process/multiDispatch**

diagram



type [multiDispatch](#)

properties isRef 0
minOcc 0
maxOcc 1
content complex


attributes	Name	Type	Use	Default	Fixed	annotation
	<u>time</u>	xs:dateTime	required			documentation Time to

answer this
order.

source `<xs:element name="multiDispatch" type="multiDispatch" minOccurs="0"/>`

complexType **product**

diagram



children [idProduct](#)

used by element [agreement/product](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	name	xs:string	optional			
annotation	documentation Refers to a product description/definition within the agreement					
source	<pre> <xs:complexType name="product"> <xs:annotation> <xs:documentation>Refers to a product description/definition within the agreement</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="idProduct" type="idType"/> </xs:sequence> <xs:attribute name="name" type="xs:string" use="optional"/> </xs:complexType> </pre>					

attribute **product/@name**


type xs:string

properties isRef 0
use optional

source `<xs:attribute name="name" type="xs:string" use="optional"/>`

element **product/idProduct**

diagram



type [idType](#)


properties isRef 0
content complex

attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			

[id](#) **xs:string** required
[unique](#) **xs:boolean** optional false
 source **<xs:element name="idProduct" type="idType"/>**

complexType referencesTo

diagram



children [idOrder](#) [idMsg](#) [idVehicle](#) [idDriver](#) [idSuborder](#) [idNode](#) [idMsgRef](#)

used by element [msg/referencesTo](#)

annotation documentation

Reference to earlier order and/or msg or reference to a resource at provider

source **<xs:complexType name="referencesTo">**

<xs:annotation>

<xs:documentation>Reference to earlier order and/or msg or reference to a resource at provider**</xs:documentation>**

</xs:annotation>

<xs:sequence>

<xs:element name="idOrder" type="idType" minOccurs="0" maxOccurs="unbounded">


<xs:annotation>

<xs:documentation>Must be equivalents and should only be order ids from different systems. Should not be ids of suborders or partial orders**</xs:documentation>**

```
</xs:annotation>
</xs:element>
<xs:element name="idMsg" type="idType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Reference to the message that this message answers.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="idVehicle" type="idType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Source (src) shall refer to the whole fleet of the provider och a uniquely defined
group of the providers fleet.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="idDriver" type="idType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Source (src) shall refer to the providers staff of drivers och a uniquely defined
group of the providers staff of drivers.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="idSuborder" type="idType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Must be equivalents and should only be be ids of suborders or partial
orders</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="idNode" type="idType" minOccurs="0"/>
<xs:element name="idMsgRef" type="idMsgRef" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
```

element referencesTo/idOrder

diagram




type	idType					
properties	isRef	0				
	minOcc	0				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation					
	Must be equivalents and should only be order ids from different systems. Should not be ids of suborders or partial orders					
source	<xs:element name="idOrder" type="idType" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>Must be equivalents and should only be order ids from different systems. Should not be ids of suborders or partial orders</xs:documentation> </xs:annotation>					

</xs:element>

element referencesTo/idMsg

diagram




type [idType](#)

properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	Reference to the message that this message answers.				
source	<xs:element name="idMsg" type="idType" minOccurs="0"> <xs:annotation> <xs:documentation>Reference to the message that this message answers.</xs:documentation> </xs:annotation> </xs:element>					

element referencesTo/idVehicle

diagram




type [idType](#)

properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	Source (src) shall refer to the whole fleet of the provider och a uniquely defined group of the providers fleet.				

```
source <xs:element name="idVehicle" type="idType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Source (src) shall refer to the whole fleet of the provider och a uniquely defined
group of the providers fleet.</xs:documentation>
  </xs:annotation>
</xs:element>
```

element referencesTo/idDriver


diagram



type	idType					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation	Source (src) shall refer to the providers staff of drivers och a uniquely defined group of the providers staff of drivers.				
source	<xs:element name="idDriver" type="idType" minOccurs="0"> <xs:annotation> <xs:documentation>Source (src) shall refer to the providers staff of drivers och a uniquely defined group of the providers staff of drivers.</xs:documentation> </xs:annotation> </xs:element>					

element referencesTo/idSuborder

diagram




type	idType					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				

	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation					
	Must be equivalents and should only be be ids of suborders or partial orders					
source	<pre><xs:element name="idSuborder" type="idType" minOccurs="0"> <xs:annotation> <xs:documentation>Must be equivalents and should only be be ids of suborders or partial orders</xs:documentation> </xs:annotation> </xs:element></pre>					

element referencesTo/idNode


diagram



type	idType					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
source	<pre><xs:element name="idNode" type="idType" minOccurs="0"/></pre>					

element referencesTo/idMsgRef

diagram




type [idMsgRef](#)

properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	idOrder	xs:string				
	idMsg	xs:string	required			
	msgType	xs:string	required			
	unique	xs:boolean	optional	true		
source	<xs:element name="idMsgRef" type="idMsgRef " minOccurs="0"/>					

complexType resourceType

diagram



children [vehicle](#) [manualDescriptionResource](#) [idOrg](#) [driver](#) [vehiclestartLocation](#)

used by elements [content/resourceContent](#) [msg/resourceDispatch](#) [order/resourceOrder](#) [orderReject/resourceReject](#)

annotation documentation
Describes vehicle and driver

source <xs:complexType name="resourceType">
 <xs:annotation>
 <xs:documentation>Describes vehicle and driver</xs:documentation>
 </xs:annotation>
 <xs:sequence>
 <xs:element name="vehicle" type="vehicle" minOccurs="0"/>
 <xs:element name="manualDescriptionResource" type="manualDescriptionType" minOccurs="0" maxOccurs="unbounded"/>
 <xs:element name="idOrg" type="idType" minOccurs="0">
 <xs:annotation>
 <xs:documentation>Id of a organisation acting as sub provider to the provider. </xs:documentation>
 </xs:annotation>
 </xs:element>
 <xs:element name="driver" type="driver" minOccurs="0">
 <xs:annotation>
 <xs:documentation>Describes the demands of the driver that vill perform this
 node</xs:documentation>
 </xs:annotation>
 </xs:element>
 <xs:element name="vehiclestartLocation" type="geographicLocation" minOccurs="0">
 <xs:annotation>
 <xs:documentation>client may order vehicle to be dispatched from this area</xs:documentation>
 </xs:annotation>
 </xs:element>
 </xs:sequence>
 </xs:complexType>


```

</xs:annotation>
</xs:element>
</xs:sequence>
</xs:complexType>

```

element resourceType/vehicle

diagram



type [vehicle](#)

properties


isRef	0
minOcc	0
maxOcc	1
content	complex

children [idVehicle](#) [capacity](#) [attributesVehicle](#) [noOfVehicle](#)

source `<xs:element name="vehicle" type="vehicle" minOccurs="0"/>`

element resourceType/manualDescriptionResource

diagram



type [manualDescriptionType](#)


properties

isRef	0
minOcc	0
maxOcc	unbounded
content	complex

attributes	Name	Type	Use	Default	Fixed	annotation
	sendtoInvoice	xs:boolean	required			
	sendtoVehicle	xs:boolean	required			
	sendtoOperation	xs:boolean	required			
	manualText	xs:string	required			
	vehicleConfirmation	xs:boolean	required			
source	<xs:element name="manualDescriptionResource" type="manualDescriptionType" minOccurs="0" maxOccurs="unbounded"/>					

element resourceType/idOrg


diagram



type	idType					
properties	isRef	0				
	minOcc	0				
	maxOcc	1				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
annotation	documentation Id of a organisation acting as sub provider to the provider.					
source	<xs:element name="idOrg" type="idType" minOccurs="0"> <xs:annotation> <xs:documentation>Id of a organisation acting as sub provider to the provider. </xs:documentation> </xs:annotation> </xs:element>					

element resourceType/driver

diagram



type [driver](#)

properties
 isRef 0
 minOcc 0
 maxOcc 1
 content complex

children [attributesDriver](#) [idDriver](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	name	xs:string	optional			

documentation

Describes the demands of the driver that vill perform this node

source `<xs:element name="driver" type="driver" minOccurs="0">`

`<xs:annotation>`


`<xs:documentation>Describes the demands of the driver that vill perform this node</xs:documentation>`

`</xs:annotation>`

`</xs:element>`

element resourceType/vehiclestartLocation

diagram



type [geographicLocation](#)

properties
 isRef 0
 minOcc 0
 maxOcc 1




	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	zone	xs:string	optional			
	typeOfCoordinate	xs:string	required			
	lat	xs:float	required			
	long	xs:float	required			
	precision	xs:integer	required			
annotation	documentation					
	client may order vehicle to be dispatched from this area					
source	<pre><xs:element name="vehiclestartLocation" type="geographicLocation" minOccurs="0"> <xs:annotation> <xs:documentation>client may order vehicle to be dispatched from this area</xs:documentation> </xs:annotation> </xs:element></pre>					

complexType route

diagram						
	The nodes, the travellers or parcels in the order					
children	node					
used by	element	order/route				
annotation	documentation					
	The nodes, the travellers or parcels in the order					
source	<pre><xs:complexType name="route"> <xs:annotation> <xs:documentation>The nodes, the travellers or parcels in the order</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="node" maxOccurs="unbounded"> <xs:complexType> <xs:complexContent> <xs:extension base="node"/> </xs:complexContent> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType></pre>					

element **route/node**

diagram



type	extension of node					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
children	addressNode timesNode contents					
attributes	Name	Type	Use	Default	Fixed	annotation
	nodeSeqno	xs:positiveInteger	required			documentation
						n
						Sequence number of included nodes.
						Sequence shall start with the lowest number and continue in rising order to the highest.
						documentation
						n
						Type of node. See enumerations.
						documentation
						n
						subnodeType are used to




further define
nodeType
"action". See
enumerations.

```
source <xs:element name="node" maxOccurs="unbounded">
  <xs:complexType>
    <xs:complexContent>
      <xs:extension base="node"/>
    </xs:complexContent>
  </xs:complexType>
</xs:element>
```

complexType seats

diagram



children [position](#)

used by element [capacity/seats](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	noOfSeats	xs:nonNegati veInteger	required			documentatio n noOfSeats are used to indicate the total numberof seats.

annotation documentation
The seats, its position etc


```
source <xs:complexType name="seats">
  <xs:annotation>
    <xs:documentation>The seats, its position etc</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="position" type="position" minOccurs="0" maxOccurs="unbounded">
      <xs:annotation>
        <xs:documentation>position are used to dedicate a seat for a traveller. Further information in latest
version of SUTI_ResourceDescription</xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
  <xs:attribute name="noOfSeats" type="xs:nonNegativeInteger" use="required">
    <xs:annotation>
      <xs:documentation>noOfSeats are used to indicate the total numberof seats.</xs:documentation>
    </xs:annotation>
  </xs:attribute>
</xs:complexType>
```

attribute **seats/@noOfSeats**

type **xs:nonNegativeInteger**
 properties isRef 0 use required
 annotation documentation
 noOfSeats are used to indicate the total numberof seats.
 source `<xs:attribute name="noOfSeats" type="xs:nonNegativeInteger" use="required">`
`<xs:annotation>`
`<xs:documentation>noOfSeats are used to indicate the total numberof seats.</xs:documentation>`
`</xs:annotation>`
`</xs:attribute>`

element **seats/position**

diagram




type [position](#)
 properties isRef 0
 minOcc 0
 maxOcc unbounded
 content complex
 attributes Name Type Use Default Fixed annotation
[row](#) **xs:positiveInt** required documentation



	eger			n
				Row are counted from the front seat and back and numbered from 1 to n.
	seat	xs:string	optional	documentation
				n
				Seat are counted from left to right, compare airline seating, and numbered A,B, c and so on
	direction	derived by: xs:string	optional	documentation
				n
				Indicates the travelling direction. Reference to the latest version of SutiAttributeList
	legSpace	derived by: xs:string	optional	documentation
				n
				Indicates the need of legspace of the traveller. See enumerations
	access	xs:nonNegativeInteger	optional	documentation
				n
				Access means the amount of seats that traveller may pass over to reach his or her dedicated seat.

annotation	documentation
	position are used to dedicate a seat for a traveller. Further information in latest version of SUTI_ResourceDescription
source	<pre><xs:element name="position" type="position" minOccurs="0" maxOccurs="unbounded"> <xs:annotation> <xs:documentation>position are used to dedicate a seat for a traveller. Further information in latest version of SUTI_ResourceDescription</xs:documentation> </xs:annotation> </xs:element></pre>

complexType **subOrderType**




children [idOrder](#)

used by	elements	content/subOrderContent msg/orderReport/economyReport/subOrderEconomy msg/orderReport/eventReport/event/subOrderEvent msg/orderLink/subOrderLink msg/orderReport/summaryReport/subOrderSummary
annotation	documentation	Definitions of orders in a combined order
source	<pre> <xs:complexType name="subOrderType"> <xs:annotation> <xs:documentation>Definitions of orders in a combined order</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="idOrder" type="idType" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </pre>	

element subOrderType/idOrder


diagram



type	idType					
properties	isRef	0				
	minOcc	1				
	maxOcc	unbounded				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		
source	<pre> <xs:element name="idOrder" type="idType" maxOccurs="unbounded"/> </pre>					

complexType taxiMeter

diagram



children	idTaxa
used by	element price/taxiMeter


attributes	Name	Type	Use	Default	Fixed	annotation
	activate	xs:boolean	required			documentation Indicates if taximeter shall be activated in vehicle. TRUE = Activate FALSE = no activation
annotation	documentation					Potential ordering or use of taxiMeter
source	<pre> <xs:complexType name="taxiMeter"> <xs:annotation> <xs:documentation>Potential ordering or use of taxiMeter</xs:documentation> </xs:annotation> <xs:sequence> <xs:element name="idTaxa" type="idType"> <xs:annotation> <xs:documentation>Source (src) shall refer to the used tariff of the provider.</xs:documentation> </xs:annotation> </xs:element> </xs:sequence> <xs:attribute name="activate" type="xs:boolean" use="required"> <xs:annotation> <xs:documentation>Indicates if taximeter shall be activated in vehicle. TRUE = Activate FALSE = no activation</xs:documentation> </xs:annotation> </xs:attribute> </xs:complexType> </pre>					

attribute **taxiMeter/@activate**

type	xs:boolean
properties	isRef 0 use required
annotation	documentation Indicates if taximeter shall be activated in vehicle. TRUE = Activate FALSE = no activation
source	<pre> <xs:attribute name="activate" type="xs:boolean" use="required"> <xs:annotation> <xs:documentation>Indicates if taximeter shall be activated in vehicle. TRUE = Activate FALSE = no activation</xs:documentation> </xs:annotation> </xs:attribute> </pre>

element **taxiMeter/idTaxa**

diagram




type [idType](#)

properties	isRef	0					
	content	complex					
attributes	Name	Type	Use	Default	Fixed	annotation	
	src	xs:string	required				
	id	xs:string	required				
	unique	xs:boolean	optional	false			
annotation	documentation	Source (src) shall refer to the used tariff of the provider.					
source							
	<pre><xs:element name="idTaxa" type="idType"> <xs:annotation> <xs:documentation>Source (src) shall refer to the used tariff of the provider.</xs:documentation> </xs:annotation> </xs:element></pre>						

complexType **time**

diagram



used by elements [msg/orderReport/eventReport/event/eventTime](#) [timesType/time](#) [msg/locationRequest/timeFrom](#) [msg/locationRequest/timeTo](#)

attributes	Name	Type	Use	Default	Fixed	annotation	documentatio
	timeAccuracy	xs:string	optional				

[timeZone](#) **xs:integer** optional

[time](#) **xs:dateTime** required
[dwellTime](#) **xs:int** optional

[timeType](#) **derived by:** optional
xs:string

annotation documentation
Should normally be the local time.

source `<xs:complexType name="time">`
`<xs:annotation>`
`<xs:documentation>Should normally be the local time.</xs:documentation>`
`</xs:annotation>`
`<xs:attribute name="timeAccuracy" type="xs:string" use="optional">`
`<xs:annotation>`
`<xs:documentation>Used to indicate accepted deviation in attribute time</xs:documentation>`
`</xs:annotation>`
`</xs:attribute>`
`<xs:attribute name="timeZone" type="xs:integer" use="optional">`
`<xs:annotation>`
`<xs:documentation>Timezone used in communication. Default is local timezone. See ISO 8601 for more`
`information.</xs:documentation>`
`</xs:annotation>`
`</xs:attribute>`
`<xs:attribute name="time" type="xs:dateTime" use="required" form="unqualified"/>`
`<xs:attribute name="dwellTime" type="xs:int" use="optional">`
`<xs:annotation>`
`<xs:documentation>Time used to finish this node</xs:documentation>`
`</xs:annotation>`
`</xs:attribute>`
`<xs:attribute name="timeType" use="optional">`
`<xs:annotation>`
`<xs:documentation>Type of time. See enumerations</xs:documentation>`
`</xs:annotation>`
`<xs:simpleType>`
`<xs:restriction base="xs:string"/>`
`</xs:simpleType>`
`</xs:attribute>`
`</xs:complexType>`

n
Used to indicate accepted deviation in attribute time documentation
n
Timezone used in communication. Default is local timezone. See ISO 8601 for more information.
documentation
n
Time used to finish this node documentation
n
Type of time. See enumerations

attribute **time/@timeAccuracy**

type **xs:string**

properties isRef 0
 use optional
 annotation documentation
 Used to indicate accepted deviation in attribute time
 source <xs:attribute name="timeAccuracy" type="xs:string" use="optional">
 <xs:annotation>
 <xs:documentation>Used to indicate accepted deviation in attribute time</xs:documentation>
 </xs:annotation>
 </xs:attribute>

attribute **time/@timeZone**

type **xs:integer**
 properties isRef 0
 use optional
 annotation documentation
 Timezone used in communication. Default is local timezone. See ISO 8601 for more information.
 source <xs:attribute name="timeZone" type="xs:integer" use="optional">
 <xs:annotation>
 <xs:documentation>Timezone used in communication. Default is local timezone. See ISO 8601 for more
 information.</xs:documentation>
 </xs:annotation>
 </xs:attribute>

attribute **time/@time**

type **xs:dateTime**
 properties isRef 0
 form unqualified
 use required
 source <xs:attribute name="time" type="xs:dateTime" use="required" form="unqualified"/>

attribute **time/@dwellTime**

type **xs:int**
 properties isRef 0
 use optional
 annotation documentation
 Time used to finish this node
 source <xs:attribute name="dwellTime" type="xs:int" use="optional">
 <xs:annotation>
 <xs:documentation>Time used to finish this node</xs:documentation>
 </xs:annotation>
 </xs:attribute>

attribute **time/@timeType**

type restriction of **xs:string**
 properties isRef 0
 use optional
 annotation documentation
 Type of time. See enumerations
 source <xs:attribute name="timeType" use="optional">
 <xs:annotation>
 <xs:documentation>Type of time. See enumerations</xs:documentation>
 </xs:annotation>
 <xs:simpleType>
 <xs:restriction base="xs:string"/>


```

</xs:simpleType>
</xs:attribute>

```

complexType timesType

diagram



children [time](#)

used by elements [node/timesNode](#) [associatedReservation/timesReservation](#)

annotation documentation

Scheduled time and/or estimated time and/or actual time

source

```
<xs:complexType name="timesType">
```

```
<xs:annotation>
```

```
<xs:documentation>Scheduled time and/or estimated time and/or actual time</xs:documentation>
```

```
</xs:annotation>
```

```
<xs:sequence>
```

```
<xs:element name="time" maxOccurs="3">
```

```
<xs:complexType>
```

```
<xs:complexContent>
```

```
<xs:extension base="time"/>
```

```
</xs:complexContent>
```

```
</xs:complexType>
```


```
</xs:element>
```

```
</xs:sequence>
```

```
</xs:complexType>
```

element timesType/time


diagram



type	extension of time					
properties	isRef	0				
	minOcc	1				
	maxOcc	3				
	content	complex				
attributes	Name	Type	Use	Default	Fixed	annotation
	timeAccuracy	xs:string	optional			documentation Used to indicate accepted deviation in attribute time
	timeZone	xs:integer	optional			documentation Timezone used in communication. Default is local timezone. See ISO 8601 for more information.
	time	xs:dateTime	required			documentation Time used to finish this node
	dwellTime	xs:int	optional			documentation Type of time. See enumerations
	timeType	derived by: xs:string	optional			
source	<pre> <xs:element name="time" maxOccurs="3"> <xs:complexType> <xs:complexContent> <xs:extension base="time"/> </xs:complexContent> </xs:complexType> </xs:element> </pre>					

complexType vehicle

diagram



children **idVehicle** **capacity** **attributesVehicle** **noOfVehicle**

used by element [resourceType/vehicle](#)


annotation documentation
Describes the vehicle used or to be used

source

```
<xs:complexType name="vehicle">
  <xs:annotation>
    <xs:documentation>Describes the vehicle used or to be used</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="idVehicle" type="idType" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Source (src) shall refer to the whole fleet of the provider och a uniquely defined
group of the providers fleet.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="capacity" type="capacity" minOccurs="0"/>
    <xs:element name="attributesVehicle" type="attributesType" minOccurs="0"/>
    <xs:element name="noOfVehicle" type="xs:positiveInteger" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Used if 2 or more vehicles are ordered in the same order</xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
</xs:complexType>
```

element vehicle/idVehicle

diagram



type [idType](#)

properties

properties	isRef	minOcc	maxOcc	content
	0	0	1	complex

attributes

attributes	Name	Type	Use	Default	Fixed	annotation
	src	xs:string	required			
	id	xs:string	required			
	unique	xs:boolean	optional	false		


annotation documentation
Source (src) shall refer to the whole fleet of the provider och a uniquely defined group of the providers fleet.

source

```
<xs:element name="idVehicle" type="idType" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Source (src) shall refer to the whole fleet of the provider och a uniquely defined
group of the providers fleet.</xs:documentation>
  </xs:annotation>
</xs:element>
```

element **vehicle/capacity**

diagram



type [capacity](#)

properties

isRef	0
minOcc	0
maxOcc	1
content	complex


children [seats](#)

attributes	Name	Type	Use	Default	Fixed	annotation
	luggageArea	xs:float	optional			
	fullArea	xs:float	optional			
	stretcherArea	xs:float	optional			

source `<xs:element name="capacity" type="capacity" minOccurs="0"/>`

element **vehicle/attributesVehicle**

diagram



type [attributesType](#)

properties


isRef	0
minOcc	0
maxOcc	1
content	complex

children [attribute](#)

source `<xs:element name="attributesVehicle" type="attributesType" minOccurs="0"/>`

element **vehicle/noOfVehicle**

diagram



type **xs:positiveInteger**

properties

isRef	0
minOcc	0

```
        maxOcc 1
        content simple
annotation documentation
    Used if 2 or more vehicles are ordered in the same order
source <xs:element name="noOfVehicle" type="xs:positiveInteger" minOccurs="0">
    <xs:annotation>
        <xs:documentation>Used if 2 or more vehicles are ordered in the same order</xs:documentation>
    </xs:annotation>
</xs:element>
```

XML Schema documentation generated by [XMLSpy](http://www.altova.com/xmlspy) Schema Editor
<http://www.altova.com/xmlspy>